

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001



WORLD HEALTH ORGANIZATION

Update Reference Committee

30 November 2001

CUMULATIVE OFFICIAL UPDATES TO ICD-10

The following pages include the corrigenda (pages 747-750 of Volume 3) and cumulative official changes to the tabular list, instruction manual and alphabetical index of ICD-10 from 1996 to 2001. These changes are approved at the Heads of Centres meetings in October of each year. The source and implementation date for each change has been identified. Date of approval has also been indicated for all changes except the corrigenda.

In 1999, the WHO ICD-10 Update Reference Committee (URC) was established. Modifications to the classification that have been recommended following the URC's inception are uniquely identified and further defined as a major or minor change.

Relevant changes in other language versions of ICD-10 and in related tools will also have to be made and disseminated by the appropriate authority.

(Note: Every effort has been made in the following pages to reproduce the content of the ICD-10 in the same format as the published volumes. Page references have not been used in all instances since these do not apply to electronic versions of the Classification. Additions/changes have been indicated through the use of instructions, underline and ~~strikeout~~).

This document is not issued to the general public, and all rights are reserved by the World Health Organization (WHO). The document may not be reviewed, abstracted, quoted, reproduced or translated, in part or in whole, without the prior written permission of WHO. No part of this document may be stored in a retrieval system or transmitted in any form or by any means – electronic, mechanical or

Volume 1

TABULAR LIST

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Delete dagger Add dagger Add dagger Add dagger Add dagger Add dagger	A02.2 † Localized salmonella infections Salmonella: . arthritis † (M01.3*) . meningitis † (G01*) . osteomyelitis † (M90.2*) . pneumonia † (J17.0*) . renal tubulo-interstitial disease † (N16.0*)	Australia (URC:0046)	October 2001	Minor	January 2003
Delete dagger Add dagger Add dagger Add dagger Add dagger Add dagger Add dagger	A18.1 † Tuberculosis of genitourinary systems Tuberculosis of: . bladder † (N33.0*) . cervix † (N74.0*) . kidney † (N29.1*) . male genital organs † (N51.-*) . ureter † (N29.1*) Tuberculous female pelvic inflammatory disease † (N74.1*)	Australia (URC:0046)	October 2001	Minor	January 2003
Delete dagger Add dagger Add dagger Add dagger Add dagger Add dagger	A18.5 † Tuberculosis of eye Tuberculous: . chorioretinitis † (H32.0*) . episcleritis † (H19.0*) . interstitial keratitis † (H19.2*) . iridocyclitis † (H22.0*) . keratoconjunctivitis (interstitial) (phlyctenular) † (H19.2*)	Australia (URC:0046)	October 2001	Minor	January 2003
Delete dagger Add dagger	A18.6 † Tuberculosis of ear Tuberculous otitis media † (H67.0*)	Australia (URC:0046)	October 2001	Minor	January 2003

Delete dagger Add dagger Add dagger Add dagger Add dagger Add dagger	A18.8 †Tuberculosis of other specified organs Tuberculosis of: .endocardium † (I39.8*) .myocardium † (I41.0*) .oesophagus † (K23.0*) .pericardium † (I32.0*) .thyroid gland † (E35.0*) Tuberculous cerebral arteritis † (I68.1*)	Australia (URC:0046)	October 2001	Minor	January 2003
Delete dagger Add dagger Add dagger Add dagger Add dagger	A54.2 † Gonococcal pelvipерitonitis and other gonococcal genitourinary infections Gonococcal: .epididymitis † (N51.1*) .female pelvic inflammatory disease † (N74.3*) .orchitis † (N51.1*) .prostatitis † (N51.0*)	Australia (URC:0046)	October 2001	Minor	January 2003
Delete dagger Add dagger Add dagger Add dagger	A56.1 †Chlamydial infection of pelvipерitoneum and other genitourinary organs Chlamydial: .epididymitis † (N51.1*) .female pelvic inflammatory disease † (N74.4*) .orchitis † (N51.1*)	Australia (URC:0046)	October 2001	Minor	January 2003
Modify title Add inclusion note	A81 <u>Atypical</u> virus infections of central nervous system <u>Includes:</u> prion diseases of the central nervous system	NORDIC	October 1997		January 1999
Modify title	A81.8 Other <u>atypical</u> virus infections of central nervous system	NORDIC	October 1997		January 1999
Modify title Add inclusion	A81.9 <u>Atypical</u> virus infection of central nervous system, unspecified <u>Prion disease of central nervous system NOS</u>	NORDIC	October 1997		January 1999

term					
Delete inclusion	Slow virus infection NOS				
term					

Delete dagger	B00.5† Herpesviral ocular disease Herpesviral: .conjunctivitis † (H13.1*) .dermatitis of eyelid † (H03.1*) .iridocyclitis † (H22.0*) .iritis † (H22.0*) .keratitis † (H19.1*) .keratconjunctivitis † (H19.1*) .uveitis, anterior † (H22.0*)	Australia (URC:0046)	October 2001	Minor	January 2003	
Add dagger		B02.3‡ Zoster ocular disease Zoster: .blepharitis † (H03.1*) .conjunctivitis † (H13.1*) .iridocyclitis † (H22.0*) .iritis † (H22.0*) .keratitis † (H19.2*) .keratoconjunctivitis † (H19.2*) .scleritis † (H19.0*)	Australia (URC:0046)	October 2001	Minor	January 2003
Add dagger						
Add dagger						
Add dagger						
Add dagger						
Add dagger						
Add dagger						
Add dagger						
Add dagger						
Delete dagger	B07 Viral warts <i>Excludes:</i> papilloma of: . bladder (D41.4)	WHO Corrigenda			January 1995	
Revise code						
Delete dagger	B37.4 ‡ Candidiasis of other urogenital sites Candidal: .balanitis † (N51.2*)	Australia (URC:0046)	October 2001	Minor	January 2003	
Add dagger						

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add dagger	.urethritis † (N37.0*)				
Delete dagger & manifestation codes Add dagger Add dagger	B57.2 † Chagas disease (chronic) with heart involvement (I41.2*, I98.1*) Chagas' disease (chronic) (with): .NOS .cardiovascular involvement NEC † (I98.1*) .myocarditis † (I41.2*)	Australia (URC:0046)	October 2001	Minor	January 2003
Add dagger and manifestation code	B59 † Pneumocystosis (J17.3*)	Australia (URC:0087)	October 2001	Minor	January 2003

Add exclusion term	B60 Other protozoal diseases, not elsewhere classified <i>Excludes:</i> intestinal microsporidiosis (A07.8)	Australia	October 1997		January 1999
Delete code and title	C14.1 Laryngopharynx	WHO Corrigenda			January 1995
Add inclusion term Add exclusion note Add subcategory Add inclusion terms	D68.3 Haemorrhagic disorder due to circulating anticoagulants <u>Haemorrhage during long term use of anticoagulants</u> Use additional external cause code (Chapter XX), if desired, to identify any administered anticoagulant. <i>Excludes:</i> long term use of anticoagulants without haemorrhage (Z92.1) E16.4 Abnormal secretion of gastrin Hypergastrinaemia Zollinger-Ellison syndrome	Germany Australia	October 1999 October 1997		January 2001 January 1999
Delete Inclusion Terms	E16.8 Other specified disorders of pancreatic internal secretion Hypergastrinaemia Zollinger-Ellison syndrome	Australia	October 1997		January 1999
	E84.1 Cystic fibrosis with intestinal manifestations	Australia	October 1998		January 2000

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add exclusion note	Meconium ileus † (P75*) <u>Excludes: meconium obstruction in cases where cystic fibrosis is known not to be present (P76.0)</u>				
Revise code	F02.8* Dementia in other specified diseases classified elsewhere Dementia in: . hypothyroidism, acquired (E01.-†, E03.-†)	Australia (URC:0053)	October 2000		January 2002
Revise code range	F06.3 Organic mood [affective] disorders Disorders characterized by a change in mood or affect, ... hypomanic, manic or bipolar (see F30-F38), but arising as a consequence of an organic disorder	WHO	October 1997		January 1999
Delete code reference	F31 Bipolar affective disorder A disorder characterized by two or more episodes in ... Repeated episodes of hypomania or mania only are classified as bipolar (F31.8)	WHO	October 1997		January 1999
Modify inclusion term	F31.8 Other bipolar affective disorders Recurrent manic episodes <u>NOS</u>	WHO	October 1997		January 1999
Add inclusion term	F45.0 Somatization disorder <u>Briquet's disorder</u>	WHO	October 1997		January 1999
Delete inclusion term	F48.8 Other specified neurotic disorders <u>Briquet's disorder</u>	WHO	October 1997		January 1999
Revise	F84.4 Overactive disorder associated with mental retardation and stereotyped movements An ill-defined disorder of uncertain...retardation (IQ below <u>34</u>) who show major problems in hyperactivity...	WHO Corrigenda			January 1995
Add Inclusion Terms	H50.2 Vertical strabismus <u>Hypertropia</u> <u>Hypotropia</u>	NORDIC	October 1997		January 1999
Delete Inclusion Terms	H50.4 Other and unspecified heterotropia Hypertropia Hypotropia	NORDIC	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add subcategory	I27 Other pulmonary heart diseases	Australia (URC: 0069)	October 2001	Major	January 2003
Add instruction	<u>I27.2 Other secondary pulmonary hypertension</u> Use additional code, if desired, to identify the underlying disease				
Add inclusion term	I42.0 Dilated cardiomyopathy <u>Congestive cardiomyopathy</u>	United Kingdom (URC:0099)	October 2001	Major	January 2003
Add inclusion term	I42.5 Other restrictive cardiomyopathy <u>Constrictive cardiomyopathy NOS</u>				
Delete inclusion term	I50.9 Heart failure, unspecified Biventricular failure	WHO Corrigenda			January 1995

Delete existing Excludes note and replace with the following	J02.8 Acute pharyngitis due to other specified organisms <i>Excludes:</i> <u>pharyngitis (due to):</u> <u>. enteroviral vesicular (B08.5)</u> <u>. herpesviral [herpes simplex] (B00.2)</u> <u>. infectious mononucleosis (B27.-)</u> <u>. influenza virus:</u> <u>. identified (J10.1)</u> <u>. not identified (J11.1)</u>	WHO Corrigenda			January 1995
Modify title	J34.1 Cyst and mucocele of <u>nose and</u> nasal sinus	Germany	October 1997		January 1999
Delete inclusion term and code Revise and add inclusion terms and codes	J38 Diseases of vocal cords and larynx, not elsewhere classified <i>Excludes:</i> congenital laryngeal stridor (Q31.4) stridor:_(R06.1) <u>. congenital laryngeal NOS (P28.8)</u> <u>. NOS (R06.1)</u>	Australia (URC:0060)	October 2001	Major	January 2003

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Revise code	K22.0 Achalasia of cardia <i>Excludes:</i> congenital cardiospasm (<u>Q39.5</u>)	WHO Corrigenda			January 1995
Revise code	K29 Gastritis and duodenitis <i>Excludes:</i> Zollinger-Ellison syndrome (E16.4)	Germany	October 1999		January 2001
Add subcategory Add exclusion note	<u>K31.7 Polyp of stomach and duodenum</u> <i>Excludes:</i> adenomatous polyp of stomach (D13.1)	Australia	October 1997		January 1999

	K35 Acute appendicitis	Australia (URC:0077)	October 2001	Minor	January 2003
Revise inclusion term	K35.0 Acute appendicitis with generalized peritonitis Appendicitis (acute) with: .perforation .peritonitis (generalized) (<u>localized</u>) following rupture or perforation .rupture				
Add inclusion term	K35.9 Acute appendicitis, unspecified <u>Acute appendicitis with peritonitis, localized or NOS</u>				
Add inclusion term	Acute appendicitis without: .generalized peritonitis .perforation .peritoneal abscess				
Delete inclusion	peritonitis				

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

term	.rupture				
Add subcategory Add exclusion note	K63.5 Polyp of colon <i>Excludes:</i> adenomatous polyp of colon (D12.6) polyposis of colon (D12.6)	Australia	October 1997		January 1999
Add subcategory	K75.4 Autoimmune hepatitis	Australia	October 1997		January 1999
Add exclusion note	L90.0 Lichen sclerosus et atrophicus <i>Excludes:</i> lichen sclerosus of external genital organs: .female (N90.4) .male (N48.0)	NORDIC	October 1998		January 2000
Modify title	M19.2 Other secondary arthrosis	WHO Corrigenda			January 1995
Revise code	M43.6 Torticollis <i>Excludes:</i> torticollis: . due to birth injury (P15.2)	WHO Corrigenda			January 1995
Add dagger Add code	M51.1 † Lumbar and other intervertebral disc disorders with radiculopathy (G55.1*)	Australia UK	October 1999		January 2001

Delete subcategory	M72 Fibroblastic disorders M72.3 Nodular fasciitis	Australia (URC: 0081)	October 2001	Major	January 2003
Add inclusion term	M72.4 Pseudosarcomatous fibromatosis <u>Nodular fasciitis</u>				
Delete subcategory	M72.5 Fasciitis, not elsewhere classified				
Delete exclusion note	<i>Excludes:</i> fasciitis: _____. diffuse (eosinophilic) (M35.4) _____. nodular (M72.3)				

<p>Add subcategory</p> <p>Add instruction</p> <p>Add inclusion term</p> <p>Add exclusion note</p> <p>Add inclusion terms</p> <p>Modify exclusion notes</p>	<p><u>. plantar (M72.2)</u></p> <p>M72.6 Necrotising fasciitis</p> <p><u>Use additional code, if desired, to identify infectious agent</u></p> <p>M72.8 Other fibroblastic disorders</p> <p><u>Abscess of fascia</u></p> <p><i>Excludes:</i> fasciitis:</p> <p><u>. diffuse (eosinophilic) (M35.4)</u></p> <p><u>. necrotizing (M72.6)</u></p> <p><u>. nodular (M72.4)</u></p> <p><u>. perirenal:</u></p> <p><u>.NOS (N13.5)</u></p> <p><u>.with infection (N13.6)</u></p> <p><u>. plantar (M72.2)</u></p> <p>M72.9 Fibroblastic disorder, unspecified</p> <p><u>Fasciitis NOS</u></p> <p><u>Fibromatosis NOS</u></p> <p>N05 Unspecified nephritic syndrome</p> <p><i>Excludes:</i> nephropathy NOS with no stated morphological lesion (N28.9)</p> <p>renal disease NOS with no stated <u>morphological lesion</u> (N28.9)</p>	<p>WHO Corrigenda</p>			<p>January 1995</p>
---	--	---------------------------	--	--	---------------------

<p>Add inclusion term</p> <p>Modify title</p> <p>Add inclusion term</p>	<p>N48.0 Leukoplakia of penis</p> <p><u>Balanitis xerotica obliterans</u></p> <p><u>Kraurosis of penis</u></p> <p>N48.6 Induratio penis plastica</p> <p><u>Peyronie's disease</u></p> <p><u>Plastic induration of penis</u></p>	<p>NORDIC</p> <p>NORDIC</p>	<p>October 1998</p> <p>October 1998</p>		<p>January 2000</p> <p>January 2000</p>
--	---	--------------------------------	--	--	--

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add inclusion term	O15 Eclampsia <i>Includes:</i> <u>eclampsia with pregnancy-induced or pre-existing hypertension</u>	WHO Corrigenda			January 1995
Delete inclusion term	O16 Unspecified maternal hypertension Transient hypertension of pregnancy	Australia (URC:0057)	October 2000	Major	January 2003
Add inclusion term	P28.8 Other specified respiratory conditions of newborn Congenital (laryngeal) stridor NOS	Australia (URC:0060)	October 2001	Major	January 2003
Add inclusion term	P29.3 Persistent fetal circulation <u>(Persistent) Pulmonary hypertension of newborn</u>	Australia (URC:0061)	October 2000	Major	January 2003
Modify excludes note	P93 Reactions and intoxications due to drugs administered to fetus and Newborn <i>Excludes:</i> jaundice due to drugs or toxins transmitted from mother <u>or given to newborn</u> (P58.4)	WHO Corrigenda			January 1995
Modify inclusion term Add inclusion term Modify inclusion term	Q15.0 Congenital glaucoma Keratoglobus, congenital, <u>with glaucoma</u> <u>Macrocornea with glaucoma</u> Megalocornea <u>with glaucoma</u>	NORDIC	October 1997		January 1999
Add note	Q24.1 Laevocardia <i>Note:</i> <u>Location of heart in left hemithorax with apex pointing to the left, but with situs inversus of other viscera and defects of the heart, or corrected transposition of great vessels.</u>	Germany	October 1999		January 2001

Add exclusion note	Q31 Congenital malformations of larynx <i>Excludes:</i> <u>congenital laryngeal stridor NOS (P28.8)</u>	Australia (URC:0060)	October 2001	Major	January 2003
--------------------	---	-------------------------	--------------	-------	--------------

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Delete subcategory Delete inclusion term Add subcategory	Q31.4 Congenital laryngeal stridor Congenital stridor (larynx) NOS Q31.5 Congenital laryngomalacia				
Add instructional note	Cleft lip and cleft palate (Q35 – Q37) Use additional code (Q30.2), if desired, to identify associated malformations of the nose	Germany (URC: 0093)	October 2001	Minor	January 2003
Delete code and title	Q35.0 Cleft hard palate, bilateral	NORDIC	October 1997		January 1999
Modify title Delete inclusion term	Q35.1 Cleft hard palate, unilateral Cleft hard palate NOS	NORDIC	October 1997		January 1999
Delete code and title	Q35.2 Cleft soft palate, bilateral	NORDIC	October 1997		January 1999
Modify title Delete inclusion term	Q35.3 Cleft soft palate, unilateral Cleft soft palate NOS	NORDIC	October 1997		January 1999
Delete code and title	Q35.4 Cleft hard palate with cleft soft palate, bilateral	NORDIC	October 1997		January 1999
Modify title Delete inclusion term	Q35.5 Cleft hard palate with cleft soft palate, unilateral Cleft hard palate with cleft soft palate NOS	NORDIC	October 1997		January 1999
Delete subcategory	Q35.6 Cleft palate, medial	Germany (URC:0091)	October 2001	Major	January 2003
Delete code and title Modify title	Q35.8 Cleft palate, unspecified, bilateral Q35.9 Cleft palate, unspecified, unilateral	NORDIC NORDIC	October 1997 October 1997		January 1999 January 1999
Revise code description	Q36.1 Cleft lip, median	Germany (URC:0092)	October 2001	Minor	January 2003
Modify title	Q37.0 Cleft hard palate with <u>bilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.1 Cleft hard palate with <u>unilateral</u> cleft lip	NORDIC	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Modify title	Q37.2 Cleft soft palate with <u>bilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.3 Cleft soft palate with <u>unilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.4 Cleft hard and soft palate with <u>bilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.5 Cleft hard and soft palate with <u>unilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.8 Unspecified cleft palate with <u>bilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.9 Unspecified cleft palate with <u>unilateral</u> cleft lip	NORDIC	October 1997		January 1999
Delete inclusion term	Q40.2 Other specified congenital malformations of stomach Congenital: cardiospasm	WHO Corrigenda			January 1995
Revise descriptor Add inclusion term	Q61.1 Polycystic kidney, <u>autosomal recessive</u> <u>Polycystic kidney, infantile type</u>	Australia (URC:0070)	October 2001	Minor	January 2003
Revise descriptor Add inclusion term	Q61.2 Polycystic kidney, <u>autosomal dominant</u> <u>Polycystic kidney, adult type</u>				
Add inclusion terms	Q75.4 Mandibulofacial dysostosis <u>Syndrome:</u> <u>.Franceschetti</u> <u>.Treacher Collins</u>	Paris	October 1997		January 1999
Delete inclusion term	Q87.0 Congenital malformation syndromes predominantly affecting facial Appearance <u>Syndrome:</u> .Treacher Collins	Paris	October 1997		January 1999
Add	Q89.3 Situs inversus <i>Excludes:</i> dextrocardia NOS (Q24.0) <u>laevocardia (Q24.1)</u>	Germany	October 1999		January 2001

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add inclusion term	Q93.5 Other deletions of part of a chromosome <u>Angelman syndrome</u>	Paris	October 1998		January 2000
Revise code	R06.1 Stridor <i>Excludes:</i> congenital laryngeal stridor (<u>P28.8</u>)	Australia (URC:0060)	October 2001	Major	January 2003
Add inclusion term Add excludes note	R45.8 Other symptoms and signs involving emotional state <u>Suicidal ideation (tendencies)</u> <i>Excludes:</i> suicidal ideation constituting part of a mental disorder (F00-F99)	Australia (URC:0064)	October 2001	Major	January 2003
Modify inclusion term Modify inclusion terms	Injury, poisoning and certain other consequences of external causes (S00-T98) Dislocation, sprain and strain including: laceration of <u>cartilage</u> sprain joint (capsule) Injury to muscle, fascia and tendon including: Avulsion cut of muscle, <u>fascia</u> and tendon laceration	Germany (URC:0032) Germany (URC: 0033)	October 2000 October 2000	Minor Minor	January 2002 January 2002
Modify inclusion note	Injuries to the head (S00-S09) <i>Includes:</i> injuries of: . <u>temporomandibular</u> joint area	WHO Corrigenda			January 1995
Modify title	S37 Injury of urinary and pelvic organs	Australia	October 1997		January 1999
Delete parentheses	S43.4 Sprain and strain of shoulder joint Rotator cuff (capsule)	Australia (URC:0090)	October 2001	Major	January 2003

<p>Add inclusion term</p> <p>Delete inclusion term</p> <p>Add exclusion note</p> <p>Revise and add inclusion terms</p>	<p>S76.1 Injury of quadriceps muscle and tendon <u>Patellar ligament (tendon)</u></p> <p>S83.6 Sprain and strain of other and unspecified parts of knee <u>Patellar ligament</u></p> <p><i>Excludes:</i> sprain of patellar ligament (S76.1)</p> <p>S86 Injury of muscle and tendon at lower leg level <i>Excludes:</i> injury of muscle and tendon at or below ankle (S96.-) <u>muscle and tendon at or below ankle (S96.-)</u> <u>patellar ligament (S76.1)</u></p>	<p>Germany (URC:0034)</p>	<p>October 2001</p>	<p>Major</p>	<p>January 2003</p>
<p>Modify exclusion note</p>	<p>S78 Traumatic amputation of hip and thigh</p> <p><i>Excludes:</i> traumatic amputation of <u>lower limb</u>, level unspecified (T13.6)</p>	<p>WHO Corrigenda</p>			<p>January 1995</p>
<p>Add excludes notes</p>	<p>Exposure to electric current, radiation and extreme ambient air temperature and pressure (W85-W99)</p> <p><i>Excludes:</i> <u>abnormal reaction to a complication of treatment, without mention of misadventure (Y84.2)</u> <u>misadventure to patient in surgical and medical procedures (Y63.2-Y63.5)</u></p>	<p>Australia (URC:0062)</p>	<p>October 2000</p>	<p>Minor</p>	<p>January 2003</p>
<p>Delete inclusion term</p> <p>Modify inclusion term</p> <p>Delete inclusion term</p>	<p>Y35.0 Legal intervention involving firearm discharge Gunshot wound</p> <p>Injury by: <u>Legal intervention with:</u></p> <p>Shot NOS</p>	<p>WHO Corridgenda</p>			<p>January 1995</p>
	<p>Y35.1 Legal intervention involving explosives</p>	<p>WHO</p>			<p>January 1995</p>

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Modify inclusion term	Injury by: <u>Legal intervention with:</u>	Corrigenda			
Modify inclusion terms	Y35.2 Legal intervention involving gas Asphyxiation by gas } Injury by tear gas } <u>due to legal intervention</u> Poisoning by gas }	WHO Corrigenda			January 1995

Modify inclusion terms	Y35.3 Legal intervention involving blunt objects Hit, stuck by: . baton } . blunt object } <u>during legal intervention</u> . stave }	WHO Corrigenda			January 1995
Modify inclusion terms	Y35.4 Legal intervention involving sharp objects Cut } Injured by bayonet } <u>during legal intervention</u> Stabbed }	WHO Corrigenda			January 1995
Delete inclusion terms	Y36.2 War operations involving other explosions and fragments Blast NOS Explosion (of): -NOS	WHO Corrigenda			January 1995
Add	Add qualifier <u>during war operations</u> to all inclusion terms				
Modify title	Y45.8 Other analgesics and antipyretics and anti-inflammatory drugs	WHO Corrigenda			January 1995
Add inclusion note	Z52.0 Blood donor <i><u>Includes: blood components such as lymphocytes, platelets or stem cells</u></i>	Australia (URC: 0111)	October 2001	Minor	January 2003
Add subcategory	<u>Z52.6 Liver donor</u>	Australia	October 1997		January 1999
Add subcategory	<u>Z52.7 Heart donor</u>	Australia	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Morphology of Neoplasms

Instruction	Morphology list entries	Source	Date approved	Major/ Minor Update	Implementation date
Add code	M8160/0 Bile duct adenoma (D13.4, <u>D13.5</u>)	WHO			January 1995
Revise code	M8522/2 Intraductal carcinoma and lobular carcinoma in situ (D05.7)	WHO			January 1995
Revise code	M8761/1 Giant pigmented naevus NOS (<u>D48.5</u>)	WHO			January 1995
Revise code	M8773/3 Spindle cell melanoma, type A (<u>C69.4</u>)	WHO			January 1995
Revise code	M8774/3 Spindle cell melanoma, type B (<u>C69.4</u>)	WHO			January 1995
Revise code	M8930/3 Endometrial stromal sarcoma (<u>C54.-</u>)	WHO			January 1995
Revise code	M8941/3 Carcinoma in pleomorphic adenoma (<u>C07</u> , C08.-)	WHO			January 1995
Revise code	M9124/3 Kupffer cell sarcoma (<u>C22.3</u>)	WHO			January 1995
Delete code	M9141/0 Angiokeratoma (D18.0)	WHO			January 1995
Delete code	M9150/0 Haemangiopericytoma, benign (D18.0)	WHO			January 1995

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Delete code	M9160/0 Angiofibroma NOS (D18.0)	WHO Corrigenda			January 1995
Delete code	M9261/3 Adamantinoma of long bones (C40.-, C41.-)	WHO Corrigenda			January 1995
Add code	M9350/1 Craniopharyngioma (<u>D44.3</u> , D44.4)	WHO Corrigenda			January 1995
Add code	M9590/3 Malignant lymphoma NOS (<u>C84.5</u> , C85.9)	WHO Corrigenda			January 1995
Add code	M9593/3 Reticulosarcoma NOS (<u>C83.3</u> , C83.9)	WHO Corrigenda			January 1995
Add code	M9686/3 Malignant lymphoma, small cell, noncleaved, diffuse (C83.0, <u>C83.6</u>)	WHO Corrigenda			January 1995
Revise code	M9870/3 Basophilic leukaemia (<u>C92.-</u>)	WHO Corrigenda			January 1995
Revise code	M9880/3 Eosinophilic leukaemia (<u>C92.-</u>)	WHO Corrigenda			January 1995

Special tabulation lists for mortality and morbidity

Instruction	Tabulation list entries	Source	Date approved	Major/ Minor update	Implementation date
Revise range	1-066 Hypertensive diseases <u>I10-I13</u>	WHO Corrigenda			January 1995
Revise range	2-052 Hypertensive diseases <u>I10-I13</u>	WHO Corrigenda			January 1995

Instruction	Instruction manual entries	Source	Date approved	Major/Minor update	Implementation date
Page 26 Revise code	<p>3.1.5 Categories with common characteristics</p> <p><i>Categories limited to one sex</i></p> <p>The following categories apply only to females: A34, B37.3...Z32-36, <u>Z39.-</u>, Z43.7, Z87.5, Z97.5.</p>	WHO	October 1997		January 1999
Page 32 Add text	<p>4.1.3 International form of medical certificate of cause of death</p> <p>... Part I of the form is for diseases related to the train of events leading directly to death, and Part II is for unrelated but contributory conditions.</p> <p><u>The medical practitioner or other qualified certifier should use his or her clinical judgement in completing the medical certificate of cause of death. Automated systems must not include lists or other prompts to guide the certifier as these necessarily limit the range of diagnoses and therefore have an adverse effect on the accuracy and usefulness of the report.</u></p>	Mortality Reference Group (URC: 0106)	October 2001	Major	January 2003
Page 35 Add Add Add	<p>4.1.6 Some considerations on selection rules</p> <p><i>Example 5:</i> I (a) Generalized metastases <u>5 weeks</u> (b) Bronchopneumonia <u>3 days</u> (c) Lung cancer <u>11 months</u></p>	Mortality Reference Group (URC:0104)	October 2001	Minor	January 2003

<p>Page 39</p> <p>Replace existing 4th paragraph with this revised rule</p>	<p>Rule 3</p> <p><i>Assumed direct consequences of another condition</i></p> <p><u>Any pneumonia in J12-J18 should be considered an obvious consequence of conditions that impair the immune system. Pneumonia in J18.0 and J18.2-J18.9 should be considered an obvious consequence of wasting diseases (such as malignant neoplasm and malnutrition) and diseases causing paralysis (such as cerebral haemorrhage or thrombosis), as well as serious respiratory conditions, communicable diseases, and serious injuries. Pneumonia in J18.0 and J18.2-J18.9, J69.0, and J69.8 should also be considered an obvious consequence of conditions that affect the process of swallowing. Note: A list of conditions is available from the World Health Organization.</u></p>	<p>Mortality Reference Group (URC:0047)</p>	<p>October 2000</p>	<p>Major</p>	<p>January 2003</p>
<p>Page 42</p> <p>Replace existing paragraph with this revised rule</p>	<p>4.1.9 The modification rules</p> <p><i>Rule A. Senility and other ill-defined conditions</i></p> <p><u>Where the selected cause is ill-defined and a condition classified elsewhere is reported on the certificate, reselect the cause of death as if the ill-defined condition had not been reported, except to take account of that condition if it modifies the coding. The following conditions are regarded as ill-defined: I46.9 (Cardiac arrest, unspecified); I95.9 Hypotension, unspecified); I99 (Other and unspecified disorders of circulatory system); J96.0 (Acute respiratory failure); J96.9 (Respiratory failure, unspecified); P28.5 (Respiratory failure of newborn); R00-R94 or R96-R99 (Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified). Note that R95 (Sudden infant death) is not regarded as ill-defined.</u></p>	<p>Mortality Reference Group (URC:0048 – for addition of P28.5)</p>	<p>October 1999</p>		<p>January 2001</p>
<p>Page 51</p> <p>Add text</p>	<p>4.1.11 Notes for use in underlying cause mortality coding</p> <p>B20- B24 Human immunodeficiency virus [HIV] disease</p> <p>Conditions classifiable...specify the individual conditions listed.</p> <p><u>D50-D89 Diseases of blood and blood-forming organs and Certain disorders involving the immune mechanism</u></p>	<p>Mortality Reference Group (URC: 0108)</p>	<p>October 2001</p>	<p>Major</p>	<p>January 2003</p>

	<p><u>as the cause of:</u></p> <p><u>B20-B24 Human immunodeficiency virus [HIV] disease and where the certificate indicates the HIV disease is a result of a blood transfusion given as treatment for the originating condition, code B20-B24</u></p>				
Page 62	<p>Table 1. Summary of linkages by code number</p> <p>Selected cause As cause of: Resulting linked code</p> <p>D50-D59 B20-B24 B20-B24</p>	Mortality Reference Group (URC: 0108)	October 2001	Major	January 2003
Page 67	<p>4.2.2 Interpretation of “highly improbable”</p> <p>...As a guide to the acceptability of sequences in the application of the General Principle and the selection rules, the following relationships should be regarded as “highly improbable”:</p> <p>(a) an infectious or parasitic disease (A00-B99) reported as “due to” any disease outside this chapter, except that:</p> <p><u>any infectious disease may be accepted as “due to” disorders of the immune mechanism such as human immunodeficiency virus [HIV] disease or AIDS; immunosuppression by chemicals (chemotherapy) and radiation. Any infectious disease classified to A00-B19 or B25-B64 reported as “due to” a malignant neoplasm will also be an acceptable sequence.</u></p>	Mortality Reference Group (URC:0051)	October 2000	Minor	January 2002
Page 67	<p>4.2.2 Interpretation of “highly improbable”</p> <p>The expression “highly improbable”...the following relationships should be regarded as “highly improbable”:</p> <p>(a) any infectious disease may be accepted as “due to” disorders of the immune mechanism such as human immunodeficiency virus (HIV) disease or AIDS;</p> <p>(b) an infectious or parasitic disease (A00-B99) reported as “due to” any disease outside this chapter, except that:</p> <p>. any infectious disease may be accepted as “due to” disorders of the immune mechanism such as human immunodeficiency virus [HIV] disease or AIDS immunosuppression by chemicals (chemotherapy) and radiation. Any infectious disease classified to A00-B19 or B25-B64 reported as “due to” a malignant neoplasm will also be an acceptable sequence.</p> <p>(c) a malignant neoplasm reported as “due to” any other disease, except human immunodeficiency virus [HIV] disease;</p>	Mortality Reference Group (URC: 0108)	October 2001	Major	January 2003

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

existing items as appropriate	<u>(d)</u> haemophilia..... (and so on....)				
Page 68 Add	4.2.2. Interpretation of “highly improbable” (l) a condition of stated date of onset “X” reported as “due to” a condition of stated due of onset “Y”, when “X” predates “Y” (<u>but see also Example 5 in section 4.1.6</u>);	Mortality Reference Group (URC: 0104)	October 2001	Minor	January 2003
Page 68 Replace existing point (m) with this revised rule	4.2.2 Interpretation of “highly improbable” ...As a guide to the acceptability of sequences in the application of the General Principle and the selection rules, the following relationships should be regarded as “highly improbable”: (m) <u>accidents (V01-X59) reported as due to any cause outside this chapter except:</u> <u>(1) any accident (V01-X59) reported as due to epilepsy (G40-G41);</u> <u>(2) a fall (W00-W19) due to a disorder of bone density (M80-M85);</u> <u>(3) a fall (W00-W19) due to a (pathological) fracture caused by a disorder of bone density;</u> <u>(4) asphyxia reported as due to aspiration of mucus, blood (W80) or vomitus (W78) as a result of disease conditions;</u> <u>(5) aspiration of food (liquid or solid) of any kind (W79) reported as due to a disease which affects the ability to swallow.</u>	Mortality Reference Group (URC:0049)	October 2001	Minor	January 2003
Page 68 Add	4.2.2 Interpretation of “highly improbable” ...As a guide to the acceptability of sequences in the application of the General Principle and the selection rules, the following relationships should be regarded as “highly improbable”: (n) <u>Suicide (X60-X84) reported as “due to” any other cause.</u>	Mortality Reference Group (URC:0050)	October 2000	Major	January 2003

<p>Page 88 Add text</p>	<p>4.2.14 Human Immunodeficiency Virus (HIV) <u>When a blood transfusion is given as treatment for any condition (e.g. a haematological disorder) and an infected blood supply results in a HIV infection, code the HIV as the underlying cause and not the treated condition.</u></p> <p>Example 1: I (a) Kaposi's sarcoma 1 year (b) HIV 3 years (c) Blood transfusion 5 years (d) Haemophilia since birth</p> <p><u>Code to HIV.</u></p> <p>Example 2: I (a) <i>Pneumocystis carinii</i> 6 months (b) HIV 5 years (c) Ruptured spleen 7 years (d) Assault – fist fight 7 years</p> <p><u>Code to HIV.</u></p>	<p>Mortality Reference Group (URC: 0108)</p>	<p>October 2001</p>	<p>Major</p>	<p>January 2003</p>
<p>Page 119 Add heading</p>	<p>4.4.4 Chapter-specific notes</p> <p><i>Chapter VIII: Diseases of the ear and mastoid process</i></p> <p><u>H90-H91 Hearing loss</u></p> <p>These codes are not to be used...</p>	<p>WHO</p>	<p>October 1997</p>		<p>January 1999</p>

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

The following list is to be included as an Appendix to Volume 2.

Reference: Mortality Reference Group (URC:0109). Minor change for implementation in January 2003.

Contents

7. Appendices	Page xxx
7.1 List of conditions unlikely to cause death	Page xxx

Appendix 7.1

List of conditions unlikely to cause death

Code	Category or subcategory
A31.1	Cutaneous mycobacterial infection
A42.8	Other forms of cutaneous actinomycosis
A60.0	Herpesviral infection of genitalia and urogenital tract
A71.0– A71.9	Trachoma
A74.0	Chlamydial conjunctivitis
B00.2	Herpesviral gingivostomatitis
B00.5	Herpesviral ocular disease
B00.8	Herpesviral whitlow
B07	Viral warts
B08.1	Molluscum contagiosum
B08.8	Foot and mouth disease
B30.0– B30.9	Viral conjunctivitis
B35.0– B35.9	Dermatophytosis
B36.0– B36.9	Other superficial mycoses
B85.0– B85.4	Pediculosis and phthiriasis
F45.3 –F45.9	Somatoform disorders
F50.1, F50.3– F50.9	Eating disorders

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

F51.0 – F51.9	Nonorganic sleep disorders
F52.0 – F52.9	Sexual dysfunction, not caused by organic disorder or disease
F60.0 – F60.9	Specific personality disorders
F61	Mixed and other personality disorders
F62.0 – F62.9	Enduring personality changes, not attributable to brain damage and disease
F63.0 – F63.9	Habit and impulse disorders
F64.0 – F64.9	Gender identity disorders
F65.0 – F65.9	Disorders of sexual preference
F66.0 – F66.9	Psychological and behavior disorders associated with sexual development and orientation
F68.0 – F68.9	Other disorders of adult personality and behavior
F69	Unspecified disorder of adult personality and behavior
F95.0 – F95.9	Tic disorders
F98.0 – F98.9	Other behavioural and emotional disorders with an onset usually occurring in childhood and adolescence
G43.0 – G43.2, G43.8 – G43.9	Migraine, except complicated migraine (G43.3)
G44.0 – G44.2	Other headache syndromes
G45.0 – G45.9	Transient cerebral ischaemic attacks and related syndromes
G50.0 – G50.9	Disorders of trigeminal nerve
G51.0 – G51.9	Facial nerve disorders
G54.0 – G54.9	Nerve root and plexus disorders
G56.0 – G56.9	Mononeuropathies of upper limb
G57.0 – G57.9	Mononeuropathies of lower limb
G58.7	Mononeuritis multiplex
H00.0 – H00.1	Hordeolum and chalazion
H01.0 – H01.9	Other inflammation of eyelid
H02.0 – H02.9	Other disorders of eyelid
H04.0 – H04.9	Disorders of lacrimal system
H10.0 – H10.9	Conjunctivitis
H11.0 – H11.9	Other disorders of conjunctiva
H15.0 – H15.9	Disorders of sclera
H16.0 – H16.9	Keratitis
H17.0 – H17.9	Corneal scars and opacities
H18.0 – H18.9	Other disorders of cornea
H20.0 – H20.9	Iridocyclitis
H21.0 – H21.9	Other disorders of iris and ciliary body
H25.0 – H25.9	Senile cataract
H26.0 – H26.9	Other cataract
H27.0 – H27.9	Other disorders of lens
H30.0 – H30.9	Chorioretinal inflammation

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

H31.0– H31.9	Other disorders of choroid
H33.0– H33.5	Retinal detachments and breaks
H34.0– H34.9	Retinal vascular occlusions
H35.0– H35.9	Other retinal disorders
H40.0– H40.9	Glaucoma
H43.0– H43.9	Disorders of vitreous body
H46	Optic neuritis
H47.0– H47.7	Other disorders of optic (2 nd) nerve and visual pathways
H49.0– H49.9	Paralytic strabismus
H50.0– H50.9	Other strabismus
H51.0– H51.9	Other disorders of binocular movement
H52.0– H52.7	Disorders of refraction and accommodation
H53.0– H53.9	Visual disturbances
H54.0– H54.9	Blindness and low vision
H55	Nystagmus and other irregular eye movements
H57.0– H57.9	Other disorders of eye and adnexa
H59.0– H59.9	Postprocedural disorders of eye and adnexa, not elsewhere classified
H60.0– H60.9	Otitis externa
H61.0– H61.9	Other disorders of external ear
H80.0– H80.9	Otosclerosis
H83.3– H83.9	Other diseases of inner ear
H90.0– H90.8	Conductive and sensorineural hearing loss
H91.0– H91.9	Other hearing loss
H92.0– H92.2	Otalgia and effusion of ear
H93.0– H93.9	Other disorders of ear, not elsewhere classified
J00	Acute nasopharyngitis (common cold)
J06.0 – J06.9	Acute upper respiratory infections of multiple and unspecified sites
J30.0 – J30.4	Vasomotor and allergic rhinitis
J33.0 – J33.9	Nasal polyp
J34.2	Deviated nasal septum
J35.0 – J35.9	Chronic disease of tonsils and adenoids
K00.0– K00.9	Disorders of tooth development and eruption
K01.0– K01.1	Embedded and impacted teeth
K02.0– K02.9	Dental caries
K03.0– K03.9	Other diseases of hard tissues of teeth
K04.0– K04.9	Diseases of pulp and periapical tissues
K05.0– K05.6	Gingivitis and periodontal diseases
K06.0– K06.9	Other disorders of gingiva and edentulous alveolar ridge

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

K07.0 – K07.9	Dentofacial anomalies (including malocclusion)
K08.0 – K08.9	Other disorders of teeth and supporting structures
K09.0 – K09.9	Cyst of oral region, not elsewhere classified
K10.0 – K10.9	Other diseases of jaws
K11.0 – K11.9	Diseases of the salivary glands
K14.0 – K14.9	Diseases of tongue
L01.0 – L01.1	Impetigo (for infants over 1 year of age)
L03.0	Cellulitis of finger and toe
L04.0 – L04.9	Acute lymphadenitis
L05.0 – L05.9	Pilonidal cyst
L08.0 – L08.8	Other local infections of skin and subcutaneous tissue
L20.0 – L20.9	Atopic dermatitis
L21.0 – L21.9	Seborrhoeic dermatitis
L22	Diaper (napkin) dermatitis
L23.0 – L23.9	Allergic contact dermatitis
L24.0 – L24.9	Irritant contact dermatitis
L25.0 – L25.9	Unspecified contact dermatitis
L28.0 – L28.2	Lichen simplex chronicus and prurigo
L29.0 – L29.9	Pruritus
L30.0 – L30.9	Other dermatitis
L41.0 – L41.9	Parapsoriasis
L42	Pityriasis rosea
L43.0 – L43.9	Lichen planus
L44.0 – L44.9	Other papulosquamous disorders
L55.0 – L55.1, L55.8 – L55.9	Sunburn, except sunburn of third degree (L55.2)
L56.0 – L56.9	Other acute skin changes due to ultraviolet radiation
L57.0 – L57.9	Skin changes due to chronic exposure to nonionizing radiation
L58.0 – L58.9	Radiodermatitis
L59.0 – L59.9	Other disorders of skin and subcutaneous tissue related to radiation
L60.0 – L60.9	Nail disorders
L63.0 – L63.9	Alopecia areata
L64.0 – L64.9	Androgenic alopecia
L65.0 – L65.9	Other nonscarring hair loss
L66.0 – L66.9	Cicatricial alopecia (scarring hair loss)
L67.0 – L67.9	Hair colour and hair shaft abnormalities
L68.0 – L68.9	Hypertrichosis
L70.0 – L70.9	Acne
L72.0 – L72.9	Follicular cysts of skin and subcutaneous tissue

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

L73.0 – L73.9	Other follicular disorders
L74.0 – L74.9	Eccrine sweat disorders
L75.0 – L75.9	Aprocrine sweat disorders
L80	Vitiligo
L81.0 – L81.9	Other disorders of pigmentation
L83	Acanthosis nigricans
L84	Corns and callosities
L85.0 – L85.9	Other epidermal thickening
L87.0 – L87.9	Transepidermal elimination disorders
L90.0 – L90.9	Atrophic disorders of skin
L91.0 – L91.9	Hypertrophic disorders of skin
L92.0 – L92.9	Granulomatous disorders of skin and subcutaneous tissue
L94.0 – L94.9	Other localized connective tissue disorders
L98.0 – L98.3, L98.5-L95.9	Other disorders of skin and subcutaneous tissue, not elsewhere classified
M20.0 – M20.6	Acquired deformities of fingers and toes
M21.0 – M21.9	Other acquired deformities of limbs
M22.0 – M22.9	Disorders of patella
M23.0 – M23.9	Internal derangement of knee
M24.0 – M24.9	Other specific joint derangements
M25.0 – M25.9	Other joint disorders, not elsewhere classified
M35.3	Polymyalgia rheumatica
M40.0 – M40.5	Kyphosis and lordosis
M43.6	Torticollis, unspecified
M43.8 – M43.9	Other and deforming dorsopathies
M48.0	Spinal stenosis in cervical region
M53.0 – M53.9	Other dorsopathies, not elsewhere classified
M54.0 – M54.9	Dorsalgia
M60.0 – M60.9	Myositis
M65.0 – M65.9	Synovitis and tenosynovitis
M66.0 – M66.5	Spontaneous rupture of synovium and tendon
M67.0 – M67.9	Other disorders of synovium and tendon
M70.0 – M70.9	Soft tissue disorders related to use, overuse and pressure
M71.0 – M71.9	Other bursopathies
M72.5	Fasciitis, not elsewhere classified, except necrotizing fasciitis
M75.0 – M75.9	Shoulder lesions
M76.0 – M76.9	Enthesopathies of lower limb, excluding foot
M77.0 – M77.9	Other enthesopathies
M79.0 – M79.9	Other soft tissue disorders, not elsewhere classified

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

M95.0 – M95.9	Other acquired deformities of musculoskeletal system and connective tissue
M99.0 – M99.9	Biomechanical lesions, not elsewhere classified
N39.3	Stress incontinence
N46	Male infertility
N47	Redundant prepuce, phimosis, and paraphimosis
N60.0 – N60.9	Benign mammary dysplasia
N84.0 – N84.9	Polyp of female genital tract
N85.0 – N85.9	Other noninflammatory disorders of uterus, except cervix
N86	Erosion and ectropion of cervix uteri
N87.0 – N87.9	Dysplasia of cervix uteri
N88.0 – N88.9	Other noninflammatory disorders of cervix uteri
N89.0 – N89.9	Other noninflammatory disorders of vagina
N90.0 – N90.9	Other noninflammatory disorders of vulva and perineum
N91.0 – N91.5	Absent, scanty, and rare menstruation
N92.0 – N92.9	Excessive, frequent, and irregular menstruation
N93.0 – N93.9	Other abnormal uterine and vaginal bleeding
N94.0 – N94.9	Pain and other conditions associated female genital organs and menstrual cycle
N96	Habitual aborter
N97.0 – N97.9	Female infertility
Q10.0 – Q10.7	Congenital malformations of eyelid, lacrimal apparatus, and orbit
Q11.0 – Q11.3	Anophthalmos, microphthalmos and macropthalmos
Q12.0 – Q12.9	Congenital lens malformations
Q13.0 – Q13.9	Congenital malformations of anterior segment of eye
Q14.0 – Q14.9	Congenital malformations of posterior segment of eye
Q15.0 – Q15.9	Other congenital malformations of eye
Q16.0 – Q16.9	Congenital malformations of ear causing impairment of hearing
Q17.0 – Q17.9	Other congenital malformations of ear
Q18.0 – Q18.9	Other congenital malformations of face and neck
Q38.1	Tongue tie
Q65.0 – Q65.9	Congenital deformities of hip
Q66.0 – Q66.9	Congenital deformities of feet
Q67.0 – Q67.8	Congenital musculoskeletal deformities of head, face, spine and chest
Q68.0 – Q68.8	Other congenital musculoskeletal deformities
Q69.0 – Q69.9	Polydactyly
Q70.0 – Q70.9	Syndactyly
Q71.0 – Q71.9	Reduction defects of upper limb
Q72.0 – Q72.9	Reduction defects of lower limb
Q73.0 – Q73.8	Reduction defects of unspecified limb

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Q74.0– Q74.9	Other congenital malformations of limb(s)
Q80.0– Q80.3, Q80.8– Q80.9	Congenital ichthyosis, except Harlequin fetus (Q80.4)
Q81.0	Epidermolysis bullosa simplex
Q81.2– Q81.9	Other forms of epidermolysis bullosa, except epidermolysis bullosa letalis (Q81.1)
Q82.0– Q82.9	Other congenital malformations of skin
Q83.0– Q83.9	Congenital malformations of breast
Q84.0– Q84.9	Other congenital malformations of integument
S00.0– S00.9	Superficial injury of head
S05.0, S05.1, S05.8	Superficial injuries (any type) of eye and orbit (any part)
S10.0– S10.9	Superficial injury of neck
S20.0– S20.8	Superficial injury of thorax
S30.0– S30.9	Superficial injury of abdomen, lower back and pelvis
S40.0– S40.9	Superficial injury of shoulder and upper arm
S50.0– S50.9	Superficial injury of forearm
S60.0– S60.9	Superficial injury of wrist and hand
S70.0– S70.9	Superficial injury of hip and thigh
S80.0– S80.9	Superficial injury of lower leg
S90.0– S90.9	Superficial injury of ankle and foot
T09.0	Superficial injury of trunk, level unspecified
T11.0	Superficial injury of upper limb, level unspecified
T13.0	Superficial injury of lower limb, level unspecified
T14.0	Superficial injury of unspecified body region
T20.1	Burn of first degree of head and neck
T21.1	Burn of first degree of trunk
T22.1	Burn of first degree of shoulder and upper limb, except wrist and hand
T23.1	Burn of first degree of wrist and hand
T24.1	Burn of first degree of hip and lower limb except ankle and foot
T25.1	Burn of first degree of ankle and foot

Volume 3

ALPHABETIC INDEX

Instruction	Alphabetic index entries	Source	Date approved	Major/Minor update	Implementation date
Revise code	Abnormal, abnormality, abnormalities – <i>see also</i> Anomaly - apertures, congenital, diaphragm <u>Q79.1</u> - heart - - rate <u>NEC R00.8</u> - secretion - - gastrin <u>E16.4</u>	Germany	October 1997		January 1999
Revise subterm & code		Germany			
Revise code		Australia			
Revise code	Abscess... - fascia <u>M72.8</u>	Australia (URC:0081)	October 2001	Major	January 2003
Revise code	Absence (organ or part) (complete or partial) - artery (congenital) (peripheral) <u>Q27.8</u> - vein (peripheral), congenital <u>Q27.8</u>	USA	October 1997		January 1999
Revise code					
Modify subterm and code	Abuse - child <u>NEC T74.9</u> - - specified <u>NEC T74.8</u>	WHO	October 1996		January 1999
Add subterm and code					
Revise code	Acanthosis (acquired) (nigricans) L83 - tongue <u>K14.3</u>	WHO	October 1996		January 1999
Revise code	Accessory (congenital) - bone <u>NEC Q79.8</u> - vagina <u>Q52.1</u>	Germany	October 1997		January 1999
Revise code					
	Adhesions, adhesive - joint <u>M24.8</u>	Australia (URC: 0089)	October 2001	Major	January 2003

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add subterm & code	- - <u>knee M23.8</u>				
Modify subterm Add subterm and code	Agenesis - artery (peripheral) NEC Q27.9 - - <u>specified NEC Q27.8</u>	WHO	October 1996		January 1999
Add cross reference Add cross reference	Albuminuria, albuminuric (acute) (chronic) (subacute) (<i>see also</i> Proteinuria) R80 - complicating pregnancy, childbirth or puerperium O12.1 - - with - - - gestational hypertension (<i>see also</i> Pre-eclampsia) O14.9 - gestational O12.1 - - with - - - gestational hypertension (<i>see also</i> Pre-eclampsia) O14.9	Australia (URC:0057)	October 2000	Major	January 2003
Revise code	Android pelvis - with disproportion (fetopelvic) O33.3 - - causing obstructed labour <u>O65.3</u>	United Kingdom (URC:0005)	October 2000	Minor	January 2002
Add morphology code, revise code and add manifestation code	Anemia D64.9 - myelofibrosis (<u>M9960/1</u>) D47.1+ D63.0*	Australia (URC:0079)	October 2001	Major	January 2003
Add lead term and code	<u>Angelman syndrome</u> Q93.5	Paris	October 1998		January 2000
Revise code	Angina (attack) (cardiac) (chest) (heart) (pectoris) (syndrome) (vasomotor) - decubitus <u>I20.0</u>	Germany	October 1997		January 1999
Delete modifier and revise code Delete subterm and code	Ankylosis (fibrous) (osseous) (joint) M24.6 - spine (spondylitic) <u>M43.2</u> - rheumatoid M45	USA	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Delete subterm and code	specified NEC M43.2				
Modify code	Anomaly, anomalous (congenital) (unspecified type) Q89.9 - nasal sinus (wall) <u>Q30.9</u> - reduction (extremity) (limb)	Germany	October 1997		January 1999
Modify code	- - upper limb <u>Q71.9</u>				
Modify code	Appendage - testicular (organ of Morgagni) <u>Q55.4</u>	Germany	October 1997		January 1999
Delete term	Appendicitis K37 - with - - perforation, peritonitis or rupture K35.0 - - peritoneal abscess K35.1	Australia (URC:0077)	October 2001	Minor	January 2003
Add subterms and codes	- - <u>peritonitis, localized K35.9</u> - - - with mention of perforation or rupture <u>K35.0</u> - - - generalized K35.0				
Delete term	- acute (catarrhal) (fulminating) (gangrenous) (obstructive) (retrocaecal) (suppurative) K35.9 - - with - - - perforation, peritonitis or rupture K35.0 - - - peritoneal abscess K35.1				
Add subterms and codes	- - - <u>peritonitis, localized K35.9</u> - - - - with mention of perforation or rupture <u>K35.0</u> - - - - generalized K35.0				
Modify code	Appendix, appendicular - see also condition - Morgagni - - male <u>Q55.4</u>	Germany	October 1997		January 1999
Modify code	- testis <u>Q55.4</u>				
Add subterm and codes	Arthritis, arthritic (acute) (chronic) (subacute) M13.9 - Charcot's (tabetic) A52.1† M14.6* - - nonsyphilitic NEC G98† M14.6* - in (due to)	Australia (URC:0056)	October 2000	Major	January 2003

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Revise code	- - neurological disorder NEC G98† <u>M14.6*</u>				
Add cross reference	- neuropathic (Charcot) (tabetic) A52.1† M14.6*				
Revise code	- - diabetic (<u>see also E10-E14 with fourth character .6</u>) E14.6† M14.6*				
Revise code	- - non syphilitic NEC G98† <u>M14.6*</u>				
Add subterm & code	Arthritis, arthritic (acute) (chronic) (subacute) M13.9 - in (due to) - - crystals M11.9 - - - dicalcium phosphate M11.8 - - - <u>hydroxyapatite M11.0</u>	Dutch Committee on ICD-10 Translation (URC: 0084)	October 2001	Minor	January 2003
Add cross reference	Arthropathy (<i>see also</i> Arthritis) M13.9 - Charcot's (tabetic) A52.1† M14.6*	Australia (URC:0056)	October 2000	Major	January 2003
Add subterm and codes	- - diabetic (<u>see also E10-E14 with fourth character .6</u>) E14.6† M14.6* - - <u>nonsyphilitic NEC G98† M14.6*</u>				
Revise morphology code	Arthropathy (<i>see also</i> Arthritis) M13.9 - in (due to) - - neoplastic disease NEC (<u>M8000/1</u>) (<i>see also</i> Neoplasm) D48.9H M36.1*	Germany	October 1997		January 1999
Add cross reference	Arthropathy (<i>see also</i> Arthritis) M13.9 - neurogenic, neuropathic (Charcot) (tabetic) A52.1† M14.6*	Australia (URC:0056)	October 2000	Major	January 2003
Revise code	- - diabetic (<u>see also E10-E14 with fourth character .6</u>) E14.6† M14.6* - - nonsyphilitic NEC G98† <u>M14.6*</u>				
Delete modifier	Ascites (abdominal) (malignant) - R18	WHO	October 1996		January 1999
Add subterm and code	- malignant C78.6				
Add indent to subterm	Aspergillosis, aspergilloma B44.9 <u>- with pneumonia B44. -H J17.2*</u>	Germany and USA	October 1997		January 1999
	Asphyxia, asphyxiation R09.0	Germany	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Delete code	- mucus (in) T17.9 - - newborn P21.9 P24.1				
Revise code	Bacteremia <u>A49.9</u>	WHO	October 1996		January 1999
Add dagger & code	Baker's cyst - tuberculous A18.0† (<u>M01.1*</u>)	Australia (URC:0046)	October 2001	Minor	January 2003
Revise code	Balanitis (circinata) (erosiva) (gangrenosa) (infectional) (nongonococcal) (phagedenic) (vulgaris) - xerotica obliterans <u>N48.0</u>	NORDIC	October 1998		January 2000
Revise code	Briquet=s disorder or syndrome <u>F45.0</u>	WHO	October 1997		January 1999

Delete instruction and insert code	Burn (electricity) (flame) (hot gas, liquid or object) (radiation) (steam) (thermal) T30.0 - scrotum code as Burn , by site, with fourth character <u>.2 T21.</u>	Germany	October 1997		January 1999
Revise code	Bursitis M71.9 - Duplay=s <u>M75.0</u>	Germany	October 1997		January 1999
Add subterm and codes	Calculus, calculi, calculous - xanthine <u>E79.8H N22.8*</u>	USA	October 1997		January 1999
Delete non essential modifiers Add subterms & codes	Cardiomyopathy (congestive) (constrictive) (familial) (idiopathic) I42.9 - congestive <u>I42.0</u> - constrictive NEC <u>I42.5</u>	United Kingdom (URC:0099)	October 2001	Major	January 2003
Delete cross reference and revise code	Change(s) (of) - <i>see also</i> Removal - hypertrophic - - nasal sinus (see also Sinusitis) <u>J34.8</u>	Germany	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Revise code Revise code	- inflammatory - <i>see also</i> Inflammation - - sacroiliac <u>M46.1</u> - personality (enduring) (<i>see also</i> Personality, change) <u>F62.9</u>	Germany USA			
Add subterm, cross reference and codes Add subterms and codes Delete codes and add cross reference Delete codes and add cross reference Delete subterm and codes	Charcot's - arthropathy (tabetic) A52.1† M14.6* <u>- - diabetic (<i>see also</i> E10-E14 with fourth character .6) E14.6† M14.6*</u> - - nonsyphilitic NEC G98† M14.6* <u>- - syringomyelic G95.0† M49.4*</u> - disease (tabetic arthropathy) A52.1† M14.6* <u>- <i>see</i> Charcot's arthropathy</u> - joint (disease) (tabetic) <u>A52.1† M14.6* - <i>see</i> Charcot's arthropathy</u> - diabetic E14.6† M14.6*	Australia (URC:0056)	October 2000	Major	January 2003

Add dagger & code	Chondritis (purulent) - tuberculous NEC A18.0† (<u>M01.1*</u>)	Australia (URC:0046)	October 2001	Minor	January 2003
Delete modifier Add subterms and codes	Chorea (gravis) (minor) (spasmodic) G25.5 <u>- minor I02.9</u> <u>- - with heart involvement I02.0</u>	WHO	October 1997		January 1999
Delete modifier and code, add cross reference	Cirrhosis, cirrhotic (hepatic) K74.6 - obstructive (biliary) K74.4 - <i>see</i> Cirrhosis, biliary	USA	October 1997		January 1999
Revise subterm	Cleft (congenital) - <i>see also</i> Imperfect, closure - lip Q35.9 - - <u>median</u> Q36.1	Germany (URC:0092)	October 2001	Minor	January 2003
Delete modifier	Cleft (congenital) - <i>see also</i> Imperfect, closure - palate (unilateral) Q35.9	NORDIC	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add modifier	-- with cleft lip (<u>unilateral</u>) Q37.9				
Add subterm and code	--- <u>bilateral</u> Q37.8				
Delete subterms and codes	--- bilateral Q35.8 --- with cleft lip Q37.8				
Delete modifier	-- hard (<u>unilateral</u>) Q35.1 --- with cleft				
Add modifier	---- lip (<u>unilateral</u>) Q37.1				
Add subterm and code	---- <u>bilateral</u> Q37.0 ---- soft palate Q35.5				
Add modifier	---- with cleft lip (<u>unilateral</u>) Q37.5				
Add subterm and code	---- <u>bilateral</u> Q37.4				
Delete subterms and codes	--- bilateral Q35.0 --- with cleft lip Q37.0 --- soft palate Q35.4 --- with cleft lip Q37.4 --- bilateral Q35.4				
Delete modifier	-- soft (<u>unilateral</u>) Q35.3 --- with cleft ---- hard palate Q35.5				
Add modifier	---- with cleft lip (<u>unilateral</u>) Q37.5 ---- <u>bilateral</u> Q37.4				
Add modifier	---- lip (<u>unilateral</u>) Q37.3				
Add subterm and code	---- <u>bilateral</u> Q37.2				
Delete subterms and codes	--- <u>bilateral</u> Q35.2 --- with cleft lip --- hard palate Q35.4 --- with cleft lip Q37.4 --- lip Q37.2				
Revise code	Cleft (congenital) – <i>see also</i> Imperfect, closure - palate Q35.9 - - medial <u>Q35.5</u>	Germany (URC:0091)	October 2001	Major	January 2003
Add cross	Clot (blood) - <i>see also</i> Embolism	USA	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

reference					
Revise code	Collapse R55 - vertebra NEC M48.5 - - in (due to) - - - osteoporosis (<i>see also</i> Osteoporosis) <u>M80.9</u>	United Kingdom (URC:0007)	October 2000	Minor	January 2002
Add code	Complications (from) (of) - graft (bypass) (patch) T85.9 - - bone <u>T84.9</u>	Dutch Committee on ICD-10 Translation (URC: 0084)	October 2001	Minor	January 2003
Revise code	Complications (from) (of) - pancreas transplant, failure or rejection (immune or nonimmune cause) <u>T86.8</u>	Germany	October 1997		January 1999
Revise code	Compression - umbilical cord - - complicating delivery <u>O69.2</u>	WHO	October 1996		January 1999
Add cross reference	Constriction - <i>see also</i> Stricture	USA	October 1997		January 1999
Add cross reference	Convulsions (idiopathic) (<i>see also</i> Seizure(s)) R56.8	USA	October 1997		January 1999
Add subterm & code	Creaking joint M24.8 - <u>knee M23.8</u>	Australia (URC: 0089)	October 2001	Major	January 2003
Add subterm & code	Crepitus - joint M24.8 - - <u>knee M23.8</u>	Australia (URC: 0089)	October 2001	Major	January 2003
Revise code	Crush, crushed, crushing T14.7 - hip S77.0 - - with thigh <u>S77.2</u> - thigh S77.1	WHO	October 1996		January 1999
Revise code	- - with hip <u>S77.2</u>				
	Cyst (colloid) (mucous) (retention) (simple)	Australia	October 2001	Minor	January 2003

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add dagger & code	- Baker's - - tuberculous A18.0 † (M01.1*)	(URC:0046)			
Revise code Revise code	Cyst (colloid) (mucous) (retention) (simple) - implantation (dermoid) - - vulva <u>N90.7</u> - paramesonephric duct <u>Q50.4</u>	Germany	October 1997		January 1999
Revise subterm Revise subterm	Cyst (colloid) (mucous) (retention) (simple) - kidney (congenital) - - multiple Q61.3 - - - <u>autosomal dominant</u> (adult type) Q61.2 - - - <u>autosomal recessive</u> (infantile type) Q61.1	Australia (URC:0070)	October 2001	Minor	January 2003
Delete modifiers Add subterms and codes Revise code	Cyst (colloid) (mucous) (retention) (simple) - skin (epidermal) (epidermoid) (epithelial) (inclusion) L72.9 - - <u>epidermal, epidermoid L72.0</u> - - <u>epithelial L72.0</u> - - <u>inclusion L72.0</u> - - scrotum <u>L72.9</u>	WHO	October 1996		January 1999
Revise code	Cyst (colloid) (mucous) (retention) (simple) - turbinate (nose) <u>J34.1</u>	Germany	October 1997		January 1999
Delete and add modifiers	Cystocele (rectocele) (-urethrocele)	Australia	October 1998		January 2000
Revise code Revise code	Deafness (acquired) (complete) (hereditary) (partial) H91.9 - high frequency <u>H91.9</u> - low frequency <u>H91.9</u>	Germany	October 1997		January 1999
Delete subterm and code	Degeneration, degenerative - corticostriatal spinal G31.8	Germany (URC:0035)	October 2000	Major	January 2003

	Delivery (single) O80.9 - cesarean (for) O82.9	Germany	October 1997		January 1999
--	--	---------	--------------	--	--------------

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Revise code	- - distress - - - fetal <u>Q36.3</u> - - fetus, fetal				
Revise code	- - - distress <u>Q36.3</u>				
Revise code	- - meconium in liquor <u>Q36.3</u>				
Revise code	Delivery (single) O80.9 - complicated (by) - - compression of cord (umbilical) NEC <u>O69.2</u>	WHO	October 1996		January 1999
Add subterm and codes	Dementia (persisting) - in (due to) - - hypothyroidism, acquired E03.-† F02.8* - - - <u>due to iodine-deficiency E01.-† F02.8*</u>	Australia (URC:0053)	October 2000	Minor	January 2002
Add subterms and codes	Derangement - joint (internal) M24.9 - - knee M23.9 - - - <u>current injury S83.2</u> - - - <u>specified NEC M23.8</u>	Australia (URC: 0089)	October 2001	Major	January 2003
Delete NEC	- knee NEC M23.9				
Revise indentation level	Derangement - knee NEC M23.9 - - current injury - - - <u>specified NEC M23.8</u>	Australia	October 1998		January 2000
Revise code	Dermatomegaly NEC <u>Q82.8</u>	Germany	October 1997		January 1999
Add cross reference	Destruction, destructive - <u>see also</u> <u>Damage</u>	USA	October 1997		January 1999
Add subterm and code	Destruction, destructive - <u>see also</u> <u>Damage</u> - articular facet M24.8 - - <u>knee M23.8</u>	Australia (URC: 0089)	October 2001	Major	January 2003
	Detachment	Germany	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Modify subterm	- meniscus (knee) (due to) M23.3 - - old tear <u>or</u> injury M23.2				
Add modifier	Deuteranomaly (<u>anomalous trichromat</u>) H53.5	NORDIC	October 1997		January 1999
Delete modifier	Deuteranopia (anomalous trichromat)(complete) (incomplete) H53.5	NORDIC	October 1997		January 1999
Add dot and dash to code to indicate 4 th char.	Development - tardy, mental (see also Retardation, mental) F79.2	United Kingdom (URC:0004)	October 2000	Minor	January 2002
Add subterm and code	Disease, diseased - <i>see also</i> Syndrome - artery I77.9 - - <u>coronary I25.1</u>	USA`	October 1997		January 1999
Add subterm & code	Disease, diseased - <i>see also</i> Syndrome - hemorrhagic D69.9 - - <u>fetus or newborn P53</u>	Dutch Committee on ICD-10 Translation (URC: 0084)	October 2001	Minor	January 2003
Add subterm, cross reference and codes Add subterms and codes	Disease, diseased - <i>see also</i> Syndrome - joint M25.9 - - Charcot's (tabetic) A52.1† M14.6* - - - <u>diabetic (see also E10-E14 with fourth character .6) E14.6† M14.6*</u> - - - nonsyphilitic NEC G98† M14.6* - - - syringomyelic G95.0† M49.4*	Australia (URC:0056)	October 2000	Major	January 2003
Delete 1 dash Delete 1 dash, revise code Delete 1 dash, revise code	Disease, diseased - <i>see also</i> Syndrome - oast-house-urine E72.1 - - ocular - - - herpesviral <u>B00.5</u> - - - zoster B02.3	Australia (URC:0066)	October 2001	Minor	January 2003
Add subterms	Disease, diseased - <i>see also</i> Syndrome - <u>prion, central nervous system A81.9</u>	NORDIC	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

and codes Add morphology code	- - specified <u>NEC A81.8</u> - trophoblastic (<u>M9100/0</u>) (<i>see also</i> Mole, hydatidiform) O01.9	WHO			
-------------------------------------	--	-----	--	--	--

Add subterms and codes	Disease, diseased – <i>see also</i> Syndrome - white-spot, meaning lichen sclerosis et atrophicus L90.0 - - <u>penis N48.0</u> - - <u>vulva N90.4</u>	Australia (URC:0058)	October 2000	Minor	January 2002
Add subterm & code Add subterm & code	Dislocation (articular) T14.3 - knee S83.1 - - congenital Q68.2 - - <u>old M23.8</u> - old M24.8 - - <u>knee M23.8</u>	Australia (URC: 0089)	October 2001	Major	January 2003
Revise code	Disorder (of) – <i>see also</i> Disease - Briquet's <u>F45.0</u>	Germany	October 1999		January 2001
Add subterm & code	Disorder (of) – <i>see also</i> Disease - catatonic - - organic F06.1 - - <u>schizophrenia F20.2</u>	Dutch Committee on ICD-10 Translation (URC: 0084)	October 2001	Minor	January 2003
Revise code	Disorder (of) - <i>see also</i> Disease - ear, postprocedural H95.9 - - specified NEC <u>H95.8</u>	WHO	October 1996		January 1999
Revise code Revise code Revise code Revise code	Disorder (of) - <i>see also</i> Disease - female - - hypoactive sexual desire <u>F52.0</u> - - orgasmic <u>F52.3</u> - - sexual arousal <u>F52.2</u> - male - - hypoactive sexual desire <u>F52.0</u>	Germany	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Revise code	- - orgasmic <u>F52.3</u>				
Revise code Revise code	Disorder (of) – <i>see also</i> Disease - mental - - due to - - - general medical condition <u>F06.9</u> - - organic or symptomatic <u>F06.9</u>	Australia	October 1999		January 2001

Revise code	Distress - fetal (syndrome) P20.- - - affecting - - - management of pregnancy (unrelated to labor or delivery) <u>O36.3</u>	WHO	October 1996		January 1999
Revise code	Disturbance - <i>see also</i> Disease - stomach (functional) <u>K31.9</u>	Germany	October 1997		January 1999
Add code	Diverticula, diverticulitis, diverticulosis, diverticulum (acute) (multiple) K57.9 - ileum (<i>see also</i> Diverticula, intestine, small) <u>K57.1</u>	Germany	October 1997		January 1999
Add non essential modifier Revise code Add subterms and codes	Donor - blood (<u>components</u>) Z52.0 - lymphocyte <u>Z52.0</u> - platelets <u>Z52.0</u> - stem cells <u>Z52.0</u>	Australia (URC:0111)	October 2001	Minor	January 2003
Add subterms and codes	Donor (organ or tissue) Z52.9 - heart <u>Z52.7</u> - liver <u>Z52.6</u>	Australia	October 1997		January 1999
Add subterm and codes Delete subterm and codes	Drug - abuse counseling and surveillance <u>Z71.5</u> - counseling and surveillance Z71.5	Germany (URC:0036)	October 2000	Minor	January 2002

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add subterm and code Add subterm and code	Dysplasia – <i>see also</i> Anomaly - acetabular, congenital Q65.8 - <u>arrhythmogenic right ventricular I42.8</u> - retinal, congenital Q14.1 - <u>right ventricular, arrhythmogenic I42.8</u>	Germany	October 1999		January 2001
Add subterm and code	Eaton-Lambert syndrome C80† G73.1* - unassociated with neoplasm G70.8	Australia	October 1999		January 2001
Revise code	Ectromelia Q73.8 - upper limb <u>Q71.9</u>	Germany	October 1997		January 1999

Delete modifiers Add subterms and codes	Eczema (acute) (chronic) (erythematous) (fissum) (rubrum) (squamous) (<i>see also</i> Dermatitis) L30.9 - infantile (due to any substance) (intertriginous)(seborrheic) L20.8 - <u>intertriginous L21.1</u> - <u>seborrheic L21.1</u>	Germany	October 1997		January 1999
Add subterm and code Revise code	Effusion - pleura, pleurisy, pleuritic, pleuropericardial J90 - <u>malignant C78.2</u> Ellison-Zollinger syndrome E16.4	WHO Germany	October 1996 October 1999		January 1999 January 2001
Modify cross references	Embolism (septic) I74.9 - cerebral (<i>see also</i> <u>Occlusion</u> , artery cerebral) I66.9 - intracranial (<i>see also</i> <u>Occlusion</u> , artery cerebral) I66.9 - vessels of brain (<i>see also</i> <u>Occlusion</u> , artery cerebral) I66.9	Germany	October 1997		January 1999
Add subterm and code	Enteritis (acute) (diarrheal) (epidemic) (hemorrhagic) (presumed infectious) (septic) (<i>see also</i> Note at category A09) A09 - <u>microsporidial A07.8</u>	Australia	October 1997		January 1999
Modify lead term	Error, refractive H52.7	USA	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add subterm & cross reference Add subterm and code	- <u>metabolism, inborn</u> – <i>see</i> <u>Disorder, metabolism</u> - <u>refractive H52.7</u>				
Delete modifier and code, add cross reference	Exsanguination, fetal P50.9 – <i>see</i> <u>Hemorrhage</u>	USA	October 1997		January 1999
Revise code	Failure, failed - biventricular <u>I50.0</u>	NORDIC	October 1997		January 1999
Revise code Add subterm and code Revise code Revise code Revise code	Fasciitis <u>M72.9</u> - <u>necrotising M72.6</u> - <u>nodular M72.4</u> - <u>specified NEC M72.8</u> - <u>traumatic (old) M72.8</u>	Australia (URC:0081)	October 2001	Major	January 2003
Add subterm and code Delete cross reference and revise code	Fever - <u>Barmah forest A92.8</u> Fever R50.9 - <u>herpetic (see also Herpes) B00.1</u>	Australia USA	October 1999 October 1997		January 2001 January 1999
Revise code	Fever R50.9 - <u>persistent (of unknown origin) R50.1</u>	WHO	October 1996		January 1999
Revise code Revise code	Fibrillation - <u>cardiac I49.8</u> - <u>heart I49.8</u>	NORDIC	October 1997		January 1999
Revise code	Fracture (abduction) (adduction)... T14.2 - <u>bone T14.2</u> - - in (due to) neoplastic disease NEC (M8000/1) (<i>see also</i> Neoplasm) <u>D48.0† M90.7*</u> .	Australia (URC:0071)	October 2001	Minor	January 2003
Revise modifier	Freiberg= s disease (infracton of metatarsal head or osteochondrosis) M92.7	Germany	October 1997		January 1999
Add modifier	Frozen (<i>see also</i> Effect, adverse, cold) T69.9 - <u>pelvis (female) N94.8</u>	United Kingdom	October 2000	Major	January 2003

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add subterm and code	- - <u>male K66.8</u>	(URC:0022)			
Revise code	Gangrene, gangrenous (dry) (moist) (skin) (ulcer) R02 - Fournier=s <u>N49.8</u>	WHO	October 1996		January 1999
Add cross reference	Gangrene, gangrenous (dry) (moist) (skin) (ulcer) (<i>see also</i> Necrosis) R02	USA	October 1997		January 1999
Delete terms and code Add subterms and codes	Gangrene, gangrenous (dry) (moist) (skin) (ulcer) (<i>see also</i> Necrosis) R02 - appendix K35.9 - - with perforation, peritonitis or rupture K35.0 - - - <u>perforation or rupture K35.0</u> - - - <u>peritoneal abscess K35.1</u> - - - <u>peritonitis, localized K35.9</u> - - - - <u>with mention of perforation or rupture K35.0</u> - - - - <u>generalized K35.0</u>	Australia (URC:0077)	October 2001	Minor	January 2003
Add cross reference	Glomerulonephritis (<i>see also</i> Nephritis) N05.-	USA	October 1997		January 1999
Revise code	Grand mal - epilepsy (idiopathic) <u>G40.6</u>	WHO	October 1996		January 1999
Add subterm and code	Grand mal - epilepsy (idiopathic) G40.6 - - on awakening <u>G40.3</u>	USA	October 1997		January 1999
Revise code	Gubler-Millard paralysis or syndrome I67.9H G46.3*	Germany	October 1997		January 1999
Add lead term and code	<u>Happy puppet syndrome Q93.5</u>	Paris	October 1998		January 2000
Revise code	<u>HELLP syndrome O14.1</u>	Germany	October 1997		January 1999
Add lead term and code	Hematemesis K83.8	Australia	October 1997		January 1999
Revise code	Hemorrhage, hemorrhagic R58 - renal <u>N28.8</u>	Germany	October 1997		January 1999
Add subterm and code	Hepatitis K75.9 - autoimmune <u>K75.4</u>	Australia	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

code					
Add subterm and code	Hepatomegaly (<i>see also</i> Hypertrophy, liver) R16.0 - <u>congenital Q44.7</u>	Germany	October 1997		January 1999
Delete subterm and code	Hernia, hernial (acquired) (recurrent) K46.9 - obturator – <i>see</i> Hernia, abdomen, specified site NEC - congenital Q40.1	Germany	October 1997		January 1999
Add Revise term and code	History (personal) (of) - family, of - - <u>respiratory condition, chronic NEC Z82.5</u> - respiratory condition, chronic NEC Z87.0	United Kingdom (URC:0013)	October 2000	Minor	January 2002
Revise code	Hollow foot (congenital) <u>Q66.7</u>	Germany	October 1997		January 1999
Add subterm and code	Human - immunodeficiency virus (HIV) disease (infection) B24 - - <u>dementia B22.0H F02.4*</u>	USA	October 1997		January 1999
Revise code	Hydatid - Morgagni=s - - male <u>Q55.4</u>	WHO	October 1996		January 1999
Add morphology codes	Hydatidiform mole (benign) (complicating pregnancy) (delivered) (undelivered) <u>(M9100/0)</u> (<i>see also</i> Mole, hydatidiform) O01.9 - classical <u>(M9100/0)</u> O01.0 - complete <u>(M9100/0)</u> O01.0 - partial <u>(M9103/0)</u> O01.1	WHO	October 1997		January 1999
Revise code	Hydromphalos (since birth) <u>Q45.8</u>	USA	October 1997		January 1999
Delete instruction and revise code	Hypercapnia (<i>see also</i> Hyperventilation) R06.8	Australia (URC:0073)	October 2001	Minor	January 2003
Revise code Add subterm and	Hyperfunction - adrenal cortex, not associated with Cushing's syndrome E27.0 - - virilism <u>E25.9</u> - - - <u>congenital E25.0</u>	Germany	October 1999		January 2001

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

code					
Revise code	Hypergastrinemia E16.4	Australia	October 1997		January 1999
Revise code	Hyperglycemia, hyperglycemic R73.9 - coma – <i>code to</i> E10-E14 with fourth character <u>0</u> Hyperplasia, hyperplastic - adrenal (capsule) (cortex) (gland) E27.8 - - with	WHO Germany	October 1996 October 1999		January 1999 January 2001
Revise code	- - - sexual precocity (male) <u>E25.9</u>				
Add subterm and code	- - - - congenital <u>E25.0</u>				
Revise code	- - - virilism, adrenal <u>E25.9</u>				
Add subterm and code	- - - - congenital <u>E25.0</u>				
Revise code	- - - virilisation (female) <u>E25.9</u>				
Add subterm and code	- - - - congenital <u>E25.0</u>				
Revise code	- pancreatic islet cells E16.9 - - alpha E16.8 - - - with excess				
Revise code	- - - - gastrin <u>E16.4</u>				
Revise code	Hypersecretion - gastrin <u>E16.4</u>	Germany	October 1999		January 2001
Delete modifier and add code	Hypertension, hypertensive (accelerated)...I10 - complicating pregnancy, childbirth or puerperium O16 - - with - - - edema (mild) (<i>see also</i> Pre-eclampsia) <u>O14.9</u>	Germany	October 1997		January 1999

Add cross reference	Hypertension, hypertensive (accelerated)...I10 - complicating pregnancy, childbirth or puerperium O16 - - pregnancy-induced (<i>see also</i> Hypertension, gestational) O13	Australia (URC:0057)	October 2000	Major	January 2003
Delete code, Add	- - transient O16 – <i>see</i> Hypertension, gestational				

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

cross reference Add modifier, delete cross reference Add subterm , cross reference and code Revise code	- gestational (pregnancy -induced) (<u>without significant proteinuria</u>) (<i>see also</i> Hypertension, complicating pregnancy) O13 - - <u>with significant proteinuria or albuminuria (and edema)</u> (<i>see also</i> <u>Pre-eclampsia</u>) O14.9 Hypertension, hypertensive (accelerated)...I10 - kidney I12.9 - - with - - - renal failure <u>I12.0</u>	WHO	October 1996		January 1999
Add subterm and code Add subterm and code	Hypertension, hypertensive (accelerated)...I10 - newborn P29.2 <u>- - pulmonary (persistent) P29.3</u> - pulmonary (artery) I27.0 <u>- - of newborn (persistent) P29.3</u>	Australia (URC:0061)	October 2000	Major	January 2003
Add modifier, revise subterm and code Add subterm and code Revise subterm	Hypertension, hypertensive (accelerated)...I10 - pulmonary (artery) (<u>secondary</u>) <u>NEC I27.2</u> - - of newborn (persistent) P29.3 - - <u>primary (idiopathic) I27.0</u> - secondary <u>NEC I15.9</u>	Australia (URC:0069)	October 2001	Major	January 2003
Revise code	Hypertropia <u>H50.2</u>	NORDIC	October 1997		January 1999
Revise code	Hypotropia <u>H50.2</u>	NORDIC	October 1997		January 1999
Add cross reference	Hypoxia – <i>see also</i> <u>Anoxia</u>	USA	October 1997		January 1999
Add main term Add sub term	Ideation, suicidal R45.8 - constituting part of a mental disorder – <i>see condition</i>	Australia (URC:0064)	October 2001	Major	January 2003

	Impetigo (any organism) (any site) (circinate) (contagiosa) (simplex) L01.0	Australia	October 2000	Minor	January 2002
--	--	-----------	--------------	-------	--------------

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Revise code	- bullous, bullosa <u>L01.0</u>	(URC:0059)			
Revise code	- neonatorum <u>L01.0</u>				
Revise code	Increase, increased - secretion - - gastrin <u>E16.4</u>	Germany	October 1999		January 2001
Modify subterm	Infection, infected (opportunistic) B99 - <u>Drechslera</u> (hawaiiensis) B43.8	Germany	October 1997		January 1999
Add subterm and code	Infection, infected (opportunistic) B99 - <u>Helicobacter pylori</u> , as cause of disease classified elsewhere B96.8	Australia NORDIC	October 1999		January 2001
Add subterm and code	- <u>Mycobacterium</u> , mycobacterial (<i>see also Mycobacterium</i>) A31.9 - - <u>extrapulmonary systemic</u> A31.8	Australia			
Add dagger and code	Infection, infected (opportunistic) B99 - <u>Pneumocystis carinii</u> (pneumonia) B59 † <u>J17.3*</u>	Australia (URC:0087)	October 2001	Minor	January 2003
Add subterm and cross reference	Infection, infected (opportunistic) B99 - <u>prion - see Disease, prion, central nervous system</u>	NORDIC	October 1997		January 1999
Add subterms and codes	- virus NEC B34.9				
Add subterm, cross reference and code	- - central nervous system A89 - - - <u>atypical</u> A81.9 - - - - <u>specified</u> NEC A81.8 - yeast (<i>see also Candidiasis</i>) B37.9	NORDIC USA			
Add code	Infection, infected (opportunistic) B99 - virus NEC B34.9 - - specified type NEC B33.8	Dutch Committee on ICD-10 Translation (URC: 0084)	October 2001	Minor	January 2003
Add subterm and cross	Injury (<i>see also specified injury type</i>) T14.9 - <u>fascia - see Injury, muscle</u>	Germany (URC:0033)	October 2000	Minor	January 2002

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

reference Add modifier	- muscle (<u>and fas cia</u>) (and tendon) T14.6				
Add subterm & code Add non-essential modifier	Injury (<i>see also</i> specified injury type) T14.9 - multiple sites T07 - - knee NEC S83.7 - - - <u>and lower leg S89.7</u> - - leg, lower (<u>and knee</u>) S89.7	Dutch Committee on ICD-10 Translation (URC: 0084)	October 2001	Minor	January 2003
Modify cross reference and code	Insanity, insane (<i>see also condition</i>) F99	USA	October 1997		January 1999
Add modifier Add subterm and code	Insufficiency, insufficient - lacrimal (<u>secretion</u>) H04.1 - - <u>passages</u> H04.5	Germany	October 1997		January 1999
Revise code	Irideremia Q13.1	Germany	October 1997		January 1999
Revise code	Ischemia, ischemic I99 - myocardium, myocardial (chronic or with a stated duration of over 4 weeks) <u>I25.9</u>	Germany	October 1997		January 1999
Add subterms, modifiers, cross references and codes	Jaundice (yellow) R17 - <u>malignant</u> (<i>see also</i> Failure, hepatic) K72.9 - <u>nonhemolytic congenital familial</u> (Gilbert) E80.4 - <u>nuclear, newborn</u> (<i>see also</i> Kernicterus of newborn) P57.9 - <u>obstructive</u> (<i>see also</i> Obstruction, bile duct) K83.1 - <u>post-immunization</u> – <i>see</i> Hepatitis, viral, type, B - <u>post-transfusion</u> – <i>see</i> Hepatitis, viral, type, B - <u>regurgitation</u> (<i>see also</i> Obstruction, bile duct) K83.1 - serum (homologous) (prophylactic) (therapeutic) - <i>see</i> Hepatitis, viral, type, B - <u>spirochetal (hemorrhagic)</u> A27.0	USA	October 1997		January 1999
Revise code	Keratitis (nonulcerative) H16.9 - rosacea <u>L71.8H</u> H19.3*	Germany	October 1997		January 1999
	Keratoglobus H18.7	NORDIC	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Revise code Add subterm and code	- congenital <u>Q15.8</u> - - <u>with glaucoma Q15.0</u>				
Revise code	Knock knee (acquired) M21.0 - congenital <u>Q74.1</u>	Germany	October 1997		January 1999

Revise code Add subterm & cross reference	Kussmaul's - respiration <u>E87.2</u> - - <u>in diabetic acidosis – code to E10-E14 with a fourth character of .1</u>	United Kingdom (URC:0011)	October 2000	Major	January 2003
Revise subterm Revise code Delete modifier	Labor (<i>see also</i> Delivery) - obstructed O66.9 - - by or due to - - - abnormal - - - - presentation or <u>position</u> O64.9 - - - contracted pelvis (general) O65.1 - - - - mid-cavity <u>O65.3</u> - - - - outlet(<u>mid-cavity</u>) O65.3	Germany	October 1997		January 1999
Revise subterm Add subterms, cross references, modifiers & codes	Laceration (<i>see also</i> Wound, open) T14.1 - chordae tendineae <u>NEC</u> I51.1 - - <u>concurrent with acute myocardial infarction – see Infarct, myocardium</u> - - <u>following acute myocardial infarction (current complication) I23.4</u>	Germany	October 1997		January 1999
Add subterm and code Revise code	Lambert-Eaton syndrome C80† G73.1* - <u>unassociated with neoplasm G70.8</u> Laryngismus (stridulus) J38.5 - congenital <u>P28.8</u>	Australia Australia (URC:0060)	October 1999 October 2001	 Major	January 2001 January 2003
Add main term and code	Laryngomalacia (congenital) <u>Q31.5</u>	Australia (URC:0060)	October 2001	Major	January 2003
	Lichen L28.0 - albus L90.0	Australia (URC:0058)	October 2000	Minor	January 2002

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add subterms and codes	- - <u>penis N48.0</u> - - <u>vulva N90.4</u> - atrophicus L90.0				
Add subterms and codes	- - <u>penis N48.0</u> - - <u>vulva N90.4</u> - sclerosus (et atrophicus) L90.0				
Add subterms and codes	- - <u>penis N48.0</u> - - <u>vulva N90.4</u>				
Revise code	Lithemia <u>E79.0</u>	Germany	October 1997		January 1999

Modify indentation level	Locking - joint (see also Derangement, joint) M24.8 - - knee M23.8	Australia (URC: 0089)	October 2001	Major	January 2003
Add non essential modifier Add subterm & code Add subterm & code Delete subterm & code	Lymphadenitis I88.9 - breast - - gestational (nonpurulent) O91.2 - - - <u>purulent O91.1</u> - - puerperal, postpartum (nonpurulent) O91.2 - - - <u>purulent O91.1</u> - chronic I88.1 - - mesenteric I88.0 - - - purulent O91.1	United Kingdom (URC:0100)	October 2001	Major	January 2003
Delete modifier	Lymphoma (malignant) (non-Hodgkin's) (M9590/3) C85.9	Australia	October 1999		January 2001
Revise code Add subterm and code	Macrocornea <u>Q15.8</u> - with glaucoma Q15.0	NORDIC	October 1997		January 1999
Revise code Add subterm and code	Macrogenitosomia (adrenal) (male) (precox) <u>E25.9</u> - <u>congenital E25.0</u>	Germany	October 1999		January 2001
	Majocchi= s	NORDIC	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Revise code	- disease <u>L81.7</u>				
Delete modifier, Revise code Add	Masculinization (female) with adrenal hyperplasia (congenital) <u>E25.9</u> - <u>congenital E25.0</u>	Germany	October 1999		January 2001
Revise code Add subterm and code	Megalocornea Q15.8 - <u>with glaucoma Q15.0</u>	NORDIC	October 1997		January 1999
Add subterm and code	Melanoma (malignant) (M8720/3) C43.9 - site classification - - <u>elbow C43.6</u>	Germany	October 1997		January 1999
Revise code	Metastasis, metastatic - calcification <u>E83.5</u>	Germany	October 1997		January 1999

Add subterm and code	Microsporidiosis B60.8 - <u>intestinal A07.8</u>	Australia	October 1997		January 1999
Add morphology code	Molar pregnancy NEC (<u>M9100/0</u>) O01.9	WHO	October 1997		January 1999
Add morphology codes	Mole (pigmented) (M8720/0) – <i>see also</i> Nevus - hydatid, hydatidiform (benign) (complicating pregnancy) (delivered) (undelivered) (<u>M9100/0</u>) O01.9 - - classical (<u>M9100/0</u>) O01.0 - - complete (M9100/0) O01.0 - - incomplete (<u>M9103/0</u>) O01.1 - - partial (<u>M9103/0</u>) O01.1 - vesicular (<u>M9100/0</u>) (<i>see also</i> Mole, hydatidiform) O01.9	WHO	October 1997		January 1999
Revise code	Monochromat(ism), monochromatopsia (acquired) (congenital) <u>H53.5</u>	Germany	October 1997		January 1999
Revise code	Mucocele - lacrimal sac <u>H04.4</u>	WHO	October 1996		January 1999
	Mycobacterium, mycobacterial (infection)	Australia	October 1999		January 2001

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add subterms and codes	- <u>extrapulmonary systemic A31.8</u> - <u>systemic, extrapulmonary A31.8</u>				
Add cross reference	Myelitis (acute) (ascending) (<i>see also</i> <u>Encephalitis</u>) G04.9	USA	October 1997		January 1999
Add cross reference Delete subterm and code Add cross reference and revise code Revise code	Necrosis, necrotic (ischemic) (<i>see also</i> <u>Gangrene</u>) R02 - bone (<i>see also</i> <u>Osteonecrosis</u>) M87.9 - - acute M87.8 - hip, aseptic or avascular (<i>see also</i> <u>Osteonecrosis</u>) M87.9 - subendocardial (acute) I21.4 - - chronic <u>I25.8</u>	USA	October 1997		January 1999
Revise code	Neoplasm, neoplastic Uncertain or unknown behaviour - appendix <u>D37.3</u>	WHO	October 1996		January 1999

Revise code Revise code Revise code	Neoplasm, neoplastic <u>Malignant</u> Secondary - cord (true) (vocal) - - spinal (cervical) (lumbar) (sacral) (thoracic) <u>C79.4</u> - spine, spinal (column) - - bulb <u>C79.4</u> - - cord <u>C79.4</u>	Australia (URC:0074)	October 2001	Minor	January 2003
Revise code	Neoplasm, neoplastic Benign - gall duct (extrahepatic) <u>D13.5</u>	Australia (URC:0068)	October 2001	Minor	January 2003
Revise code	Neoplasm, neoplastic Benign - peduncle, cerebral <u>D33.1</u>	Australia	October 1999		January 2001
Add morphology	Neurofibromatosis (multiple)(nonmalignant) (<u>M9540/1</u>) Q85.0	Germany	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

code					
Delete cross reference and revise code	Neuropathy, neuropathic (<i>see also</i> Disorder, nerve) <u>G62.9</u>	Germany	October 1997		January 1999
Revise code Revise subterm and code	Neuropathy, neuropathic G62.9 - diabetic (<i>see also</i> E10-E14 with fourth character .4) E14.4† <u>G63.2*</u> - - mononeuropathy E14.4† G59.0*	Australia	October 1998		January 2000
Revise code	Neurosyphilis, neurosyphilitic - hemorrhagic <u>A52.3</u>	Australia (URC:0046)	October 2001	Minor	January 2003
Revise code	Nodule(s), nodular - thyroid (gland) <u>E04.1</u>	WHO	October 1996		January 1999
Revise code	Obstruction, obstructed, obstructive - pelviureteral junction <u>N13.5</u>	Australia UK	October 1999		January 2001
Revise code Add subterms and codes	Occlusion, occluded - artery - <i>see also</i> Embolism, artery - - brain or cerebral <u>I66.9</u> - - - with infarction (due to) <u>I63.5</u> - - - - embolism <u>I63.4</u> - - - - thrombosis <u>I63.3</u> - - cerebral I66.9 - - - anterior I66.1 - - - - with infarction (due to) I63.5 - - - - - thrombosis <u>I63.3</u>	Germany	October 1997		January 1999
Revise code					
Add code Add subterm and code	Ossification - ligament <u>M67.8</u> - - posterior longitudinal <u>M48.8</u>	USA	October 1997		January 1999
Delete modifier & code Add subterms and codes	Osteoarthritis (<i>see also</i> Arthrosis) M19.9 - interphalangeal (Bouchard, Heberden) <u>M15.2</u> - - distal (Heberden) <u>M15.1</u> - - proximal (Bouchard) <u>M15.2</u>	Germany	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add non-essential modifier Add subterm and code	Osteochondrosis M93.9 - Kienbock's (<u>juvenile</u>) M92.2 - - of adults <u>M93.1</u>	Dutch Committee on ICD-10 Translation (URC: 0084)	October 2001	Major	January 2003
Revise code	Osteopathia condensans disseminata <u>Q78.8</u>	Germany	October 1997		January 1999
Revise morphology code	Panmyelosis (acute) (<u>M9931/3</u>) C94.4	Germany	October 1997		January 1999
Add cross reference Revise code Revise code Revise code Revise code Revise code	Paralysis, paralytic (complete) (incomplete) (<i>see also Paresis</i>) G83.9 - Benedikt=s <u>I67.9H</u> G46.3* - Millard-Gubler-Foville <u>I67.9H</u> G46.3* - nerve - <i>see also</i> Disorder, nerve - - radial <u>G56.3</u> - radial nerve <u>G56.3</u> - Weber=s <u>I67.9H</u> G46.3*	USA Germany Germany Germany Germany Germany	October 1997		January 1999
Revise code	Paralysis, paralytic (complete) (incomplete) G83.9 - Gubler-Millard <u>I67.9†</u> G46.3*	Australia	October 1999		January 2001
Revise code	Parathyroid tetany <u>E20.9</u>	Germany	October 1996		January 1999
Add subterm & codes	Parkinsonism (idiopathic) (primary) G20 - with orthostatic hypotension (idiopathic) (symptomatic) G90.3 - dementia in <u>G20† F02.3*</u>	Dutch Committee on ICD-10 Translation (URC: 0084)	October 2001	Minor	January 2003
Delete modifier Revise code	Perforation, perforated (non-traumatic) - palate (hard) (<i>see also</i> Cleft, palate) Q35.9 - palatine vault (<i>see also</i> Cleft, palate, hard) <u>Q35.1</u>	NORDIC	October 1997		January 1999
Add subterm and	Perforation, perforated (nontraumatic) - bowel K63.1 - - obstetric trauma O71.5 - - traumatic <u>S36.9</u>	Germany	October 1999		January 2001

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

code	- colon K63.1				
Add subterms and codes	- - fetus or newborn P78.0 - - obstetric trauma O71.5 - - traumatic S36.5				
Add subterms and codes	- ileum K63.1 - - fetus or newborn P78.0 - - obstetric trauma O71.5				
Add subterm and code	- - traumatic S36.4 - intestine NEC K63.1 - - obstetric trauma O71.5 - - traumatic S36.9				
Add subterm and code	- - ulcerative NEC K63.1 - - - fetus or newborn P78.0				
Add subterms and codes	- jejunum, jejunal K63.1 - - fetus or newborn P78.0 - - obstetric trauma O71.5 - - traumatic S36.4				
Revise code	- rectum K63.1				
Add subterms and codes	- - fetus or newborn P78.0 - - obstetric trauma O71.5 - - traumatic S36.6				
Add subterm and codes	- sigmoid K63.1 - - fetus or newborn P78.0 - - obstetric trauma O71.5 - - traumatic S36.5				
Revise code	Periarthritis (joint) M77.9 - Duplay=s <u>M75.0</u>	Germany	October 1997		January 1999

Revise code	Peritonitis (adhesive) (fibrinous) (with effusion) K65.9 - with or following - - appendicitis <u>K35.9</u>	Australia (URC:0077)	October 2001	Minor	January 2003
-------------	---	----------------------	--------------	-------	--------------

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add subterm and code	<u>--- with mention of perforation or rupture K35.0</u>				
Revise code	Perlèche NEC (due to) K13.0 - candidiasis <u>B37.8</u>	WHO	October 1996		January 1999
Revise code	- moniliasis <u>B37.8</u>				
Add code	Placenta, placental (<i>see also condition</i>) - marginal sinus (hemorrhage) (rupture) <u>O44.1</u>	China Germany	October 1997		January 1999
Delete term	Placenta, placental (<i>see also condition</i>) - marginal sinus (hemorrhage) (rupture) O44.1	Australia (URC:0080)	October 2001	Minor	January 2003
Add subterm and code	<u>--- affecting fetus or newborn P02.0</u>				
Add dagger and code	Pneumocystosis B59† J17.3*	Australia (URC:0087)	October 2001	Minor	January 2003
Delete modifier and revise subterm and code	Pneumonia (acute) (double)... J18.9 - atypical <u>NEC (disseminated, focal) J18.9</u>	Australia (URC:0063)	October 2000	Major	January 2003
Delete subterm and cross reference	Pneumonia (acute) (double) ... J18.9 -lobe — see Pneumonia, lobar	USA	October 1997		January 1999
Revise subterm	Polycystic (disease) - degeneration, kidney Q61.3	Australia (URC:0070)	October 2001	Minor	January 2003
Revise subterm	- - <u>autosomal dominant</u> (adult type) Q61.2				
Revise subterm	- - <u>autosomal recessive</u> (infantile type) Q61.1				
Revise subterm	- kidney				
Revise subterm	- - <u>autosomal dominant</u> (adult type) Q61.2				
Revise subterm	- - <u>autosomal recessive</u> (infantile type) Q61.1				

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Delete morphology code & cross reference & revise code Add subterm and code Delete morphology code & revise code	Polyp, polypus - colon (M8210.0) (<i>see also</i> Polyp, adenomatous) <u>K63.5</u> - <u>duodenum K31.7</u> - stomach (M8210.0) <u>K31.7</u>	Australia	October 1997		January 1999
Add subterms and cross references	Polyp, polypus - colon K63.5 - - adenomatous (M8210.0) – <i>see</i> Polyp, adenomatous - stomach K31.7 - - adenomatous (M8210.0) – <i>see</i> Polyp, adenomatous	Germany	October 1999		January 2001
Modify subterm and add code Delete subterm and code Modify indentation level	Positive - serology for syphilis <u>A53.0</u> - - false R76.2 - syphilis A53.0 - - with signs or symptoms - <i>code as</i> Syphilis, by site and stage	Germany	October 1997		January 1999
Revise main term & delete code Add subterm & code Modify indentation level Add subterms and codes	Postmenopausal endometrium (atrophic) <u>N95.8</u> - <u>endometrium (atrophic) N95.8</u> - - suppurative (<i>see also</i> Endometritis) N71.9 - <u>osteoporosis M81.0</u> - - with pathological fracture <u>M80.0</u>	Dutch Committee on ICD-10 Translation (URC: 0084)	October 2001	Minor	January 2003
Delete modifier	Precocity, sexual (female) (male) (constitutional) (cryptogenic) (idiopathic) NEC E30.1 - with adrenal hyperplasia (congenital) <u>E25.9</u>	Germany	October 1999		January 2001

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

and revise code Add subterm and code	- - <u>congenital E25.0</u>				
Revise code	Pregnancy (single) (uterine) - complicated by - - hemorrhage NEC - - - antepartum (<i>see also</i> Hemorrhage, antepartum) <u>O46.9</u>	WHO	October 1996		January 1999
Add code Add morphology code Revise code Revise code Revise code Revise code Revise code Revise code Add morphology code	Pregnancy (single) (uterine) - complicated by - - onset of contractions before 37 weeks= gestation <u>O60</u> - - hydatidiform mole (<u>M9100/0</u>) (<i>see also</i> Mole, hydatidiform) O01.9 - management affected by - - fetal (suspected) - - - abnormality or damage - - - - acid-base balance <u>O36.3</u> - - - - heart rate or rhythm <u>O36.3</u> - - - acidemia <u>O36.3</u> - - - bradycardia <u>O36.3</u> - - - distress <u>O36.3</u> - - meconium in liquor O36.3 - molar NEC O02.0 - - hydatidiform (<u>M9100/0</u>) (<i>see also</i> Mole, hydatidiform) O01.9	China Germany WHO Germany WHO	October 1997		January 1999
Add subterm and cross reference	Premature - <i>see also condition</i> - newborn - <i>see Prematurity</i>	USA	October 1997		January 1999
Revise code	Presentation, fetal - transverse (mother) O32.2 - - causing obstructed labor <u>O64.8</u>	WHO	October 1996		January 1999
Add modifier	Protanomaly (anomalous trichromat) H53.5	NORDIC	October 1997		January 1999
Delete modifier	Protanopia (anomalous trichromat) (complete) (incomplete) H53.5	NORDIC	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add subterm , cross reference and code	Proteinuria R80 - complicating pregnancy, childbirth or puerperium O12.1 - - <u>significant, with gestational hypertension (see also Pre-eclampsia) O14.9</u>	Australia (URC:0057)	October 2000	Major	January 2003
Revise lead term	Pseudochromhidrosis L67.8	Germany	October 1997		January 1999
Add main term, subterm and codes	Pseudomeningocele (postprocedural) (spinal) G97.8 - <u>post-traumatic G96.1</u>	Australia (URC:0067)	October 2001	Major	January 2003
Add subterm and codes	Psittacosis A70 - <u>with pneumonia A70† J17.8*</u>	Dutch Committee on ICD-10 Translation (URC: 0084)	October 2001	Minor	January 2003
Delete modifier Add subterm and code	Puberty (development state) Z00.3 - precocious (central) E30.1 - - <u>central E22.8</u>	WHO	October 1996		January 1999
Revise code	Purpura D69.2 - annularis telangiectodes L81.7	NORDIC	October 1997		January 1999
Revise code	Pyrexia (of unknown origin) R50.9 - persistent <u>R50.1</u>	WHO	October 1996		January 1999
Add morphology code	Recklinghausen's disease (<u>M9540/1</u>) Q85.0	Germany	October 1997		January 1999
Add dot and dash to code to indicate 4 th char.	Retardation - mental F79_	United Kingdom (URC:0004)	October 2000	Minor	January 2002
Revise indentation level	Retention, retained - products of conception - - following - - - delivery (with hemorrhage) O72.2 - - - _without hemorrhage O73.1	Germany	October 1997		January 1999
	Reticulosis (skin)	Germany	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Revise morphology code	- polymorphic (<u>M9713/3</u>) C85.7				
Add main term, sub term and codes	Rhabdomyolysis (idiopathic) NEC M62.8 - <u>traumatic T79.6</u>	UK (URC:0101)	October 2001	Major	January 2003
Delete modifier	Rickets (active) (acute) (adolescent) (adult) (chest wall) (congenital) (current) (infantile) (intestinal) E55.0	Germany	October 1997		January 1999
Revise code	Ring(s) - Fleischer=s (cornea) <u>H18.0</u>	WHO	October 1996		January 1999
Revise code Add sub term	Risk, suicidal R45.8 - <u>constituting part of a mental disorder – see condition</u>	Australia (URC:0064)	October 2001	Major	January 2003
Add subterms and codes Add subterms and codes Add subterms and codes Add subterms and codes Add subterms and codes	Rupture, ruptured - bowel (nontraumatic) K63.1 - - <u>fetus or newborn P78.0</u> - - <u>obstetric trauma O71.5</u> - - <u>traumatic S36.9</u> - colon (nontraumatic) K63.1 - - <u>fetus or newborn P78.0</u> - - <u>obstetric trauma O71.5</u> - - <u>traumatic S36.5</u> - ileum (nontraumatic) K63.1 - - <u>fetus or newborn P78.0</u> - - <u>obstetric trauma O71.5</u> - - <u>traumatic S36.4</u> - intestine NEC (nontraumatic) K63.1 - - <u>fetus or newborn P78.0</u> - - <u>obstetric trauma O71.5</u> - - <u>traumatic S36.9</u> - jejunum, jejunal (nontraumatic) K63.1 - - <u>fetus or newborn P78.0</u> - - <u>obstetric trauma O71.5</u> - - <u>traumatic S36.4</u> - rectum (nontraumatic) K63.1 - - <u>fetus or newborn P78.0</u> - - <u>obstetric trauma O71.5</u> - sigmoid (nontraumatic) K63.1	Germany	October 1999		January 2001

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add subterms and codes	- - fetus or newborn P78.0 - - obstetric trauma O71.5				
Add subterms and codes	Rupture, ruptured - marginal sinus (placental) (with hemorrhage) O46.8 - - with placenta previa O44.1 - - - affecting fetus or newborn P02.0 - - affecting fetus or newborn P02.1	Australia (URC:0080)	October 2001	Minor	January 2003
Revise code	Rupture, ruptured - myocardium, myocardial (<i>see also</i> Infarct, myocardium) I21.9	Germany USA	October 1997		January 1999
Delete dagger and code	Rupture, ruptured - uterus (traumatic) S37.6 - - during or after labor O71.1 - - - affecting fetus or newborn P03.8H763.8*	WHO	October 1996		January 1999
Revise morphology code	Schwannoma (M9560/0) – <i>see also</i> Neoplasm, nerve, benign - melanocytic (M9560/0) – <i>see</i> Neoplasm, nerve, benign	WHO	October 1996		January 1999
Add cross reference	Seizure(s) (<i>see also</i> Convulsions) R56.8	USA	October 1997		January 1999
Delete modifier	Self-mutilation (history)	United Kingdom (URC:0006)	October 2000	Minor	January 2002
Add subterms and codes	- history (personal) Z91.5 - - in family Z81.8 - observation following (alleged) attempt Z03.8				
Delete subterm and code	Sinus – <i>see also</i> Fistula - bradycardia I49.8	Australia UK	October 1999		January 2001
Add subterms and codes	Sinus – <i>see also</i> Fistula - marginal, ruptured or bleeding O46.8 - - with placenta previa O44.1 - - - affect ing fetus or newborn P02.0 - - affecting fetus or newborn P02.1	Australia (URC:0080)	October 2001	Minor	January 2003
Revise subterm	Spina bifida (aperta) Q05.9 - with hydrocephalus NEC Q05.4	Germany	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add main term and code	Splenosis D73.8	Australia (URC:0085)	October 2001	Major	January 2003
Add subterms and codes Revise code	Spondylosis M47.9 - with - - <u>compression (of)</u> - - - nerve root or plexus M47.-HG55.2* - - myelopathy NEC M47.-HG99.2*	WHO Germany	October 1997		January 1999
Revise code	Spoon nail L60.3	WHO	October 1996		January 1999
Revise code	Sprain, strain (joint) (ligament) T14.3 - knee NEC - - patellar ligament <u>S76.1</u>	Germany (URC:0034)	October 2001	Major	January 2003
Revise modifiers and code Add subterm & code	Sprain, strain (joint) (ligament) T14.3 - rotator cuff (capsule) (<u>tendon</u>) <u>S46.0</u> - - capsule <u>S43.4</u>	Australia (URC:0090)	October 2001	Major	January 2003
Delete subterm	Sprain, strain (joint) (ligament) T14.3 -teres	China	October 1997		January 1999
Delete modifier, add cross reference and modify code	Stress - reaction (acute) (<u>see also Reaction, stress</u>) <u>F43.9</u>	USA	October 1997		January 1999
Add cross reference	Stricture (<u>see also Stenosis</u>) R68.8	USA	October 1997		January 1999
Revise subterm and code	Stridor R06.1 - congenital (larynx) NEC P28.8	Australia (URC:0060)	October 2001	Major	January 2003
Delete dagger and code	Strongyloidiasis, strongyloidosis B78.9 - intestinal B78.0H K93.8*	Germany	October 1997		January 1999
	Suicide, suicidal (attempted)	Australia	October 2001	Major	January 2003

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Revise code	- risk <u>R45.8</u>	(URC:0064)			
Add sub term	- - <u>constituting part of a mental disorder – see condition</u>				
Revise code	- tendencies <u>R45.8</u>				
Add sub term	- - <u>constituting part of a mental disorder – see condition</u>				
Revise code	Supernumerary (congenital) - bone <u>Q79.8</u>	Germany	October 1997		January 1999
Revise code	Syndactylism, syndactyly <u>Q70.9</u> - fingers (without synostosis) <u>Q70.1</u>	WHO	October 1996		January 1999
Revise code	- toes (without synostosis) <u>Q70.3</u>				
Add subterms and codes	Syndrome - <i>see also</i> Disease - <u>anticardiolipin D68.8</u> - <u>antiphospholipid (-antibody) D68.8</u> - <u>hyponatremic E87.1</u> - salt	WHO WHO USA	October 1997		January 1999
Revise code	- - low <u>E87.1</u>	USA			

Revise code	Syphilis, syphilitic (acquired) A53.9 - neuritis	Germany	October 1996		January 1999
Revise code	- - acoustic A52.1H <u>H94.0*</u>				
Revise code	- retina, late A52.7H <u>H32.0*</u>				
Add subterm	Tear, torn (traumatic) - <i>see also</i> Wound, open - cartilage - <i>see also</i> Sprain - - articular, old M24.1 - <u>cervix</u> - - obstetrical trauma (current) O71.3 - - old N88.1	WHO	October 1996		January 1999
Delete subterm	Tear, torn (traumatic) - <i>see also</i> Wound, open - pelvic —complicating delivery	China Germany	October 1997		January 1999
	Tear, torn (traumatic) – <i>see also</i> Wound, open - rotator cuff (complete) (incomplete) (nontraumatic) M75.1	Australia (URC:0090)	October 2001	Major	January 2003

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add subterms and codes	- - <u>traumatic (tendon) S46.0</u> - - - <u>capsule S43.4</u>				
Revise code Add sub term	Tendency - suicide <u>R45.8</u> - - <u>constituting part of a mental disorder – see condition</u>	Australia (URC:0064)	October 2001	Major	January 2003
Revise code	Thickening - nail <u>L60.2</u>	WHO	October 1996		January 1999
Add subterm and code	Thrombosis - mural (<i>see also</i> Infarct, myocardium) I21.9 - - due to syphilis A52.0† I52.0* - - <u>not resulting in infarction I24.0</u>	Australia	October 1999		January 2001
Delete part of modifier and revise code Delete subterm and code	Tophi (<i>see also</i> Gout, tophi) <u>M10.-</u> - heart M10.0	United Kingdom (URC:0016)	October 2000	Minor	January 2002
Delete code Add subterms and codes	Torsion - hydatid of Morgagni N83.5 - - female N83.5 - - male N44	Germany (URC:0038)	October 2000	Minor	January 2002
Revise code	Transection, trunk (abdomen) (thorax) T05.8	WHO	October 1996		January 1999
Revise code	Transverse - <i>see also condition</i> - lie (mother) O32.2 - - causing obstructed labor <u>O64.8</u>	WHO	October 1996		January 1999
Revise code	Treacher Collins syndrome Q75.4	Paris	October 1997		January 1999
Add morphology code	Trophoblastic disease (M9100/0) (<i>see also</i> Mole, hydatidiform) O01.9	WHO	October 1997		January 1999
Add dagger & code Add dagger &	Tuberculosis, tubercular, tuberculous (caseous) (degeneration) (gangrene) (necrosis) - bursa A18.0 † (<u>M01.1*</u>) - cartilage A18.0 † (<u>M01.1*</u>)	Australia (URC:0046)	October 2001	Minor	January 2003

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

code					
Delete modifier	Tuberculosis, tubercular, tuberculous... - ear (external) (inner) (middle) A18.6	Australia	October 1999		January 2001
Add subterm & codes	Tuberculosis, tubercular, tuberculous ... A16.9 - vulva A18.1† N77.1* - - with ulceration A18.1† N77.0*	Dutch Committee on ICD-10 Translation (URC: 0084)	October 2001	Minor	January 2003
Add morphology code	Tumor (M8000/1) – <i>see also</i> Neoplasm, uncertain behavior - intravascular bronchial alveolar (M9134/1) D38.1	Dutch Committee on ICD-10 Translation (URC: 0084)	October 2001	Minor	January 2003
Add subterm and code	Ulcer, ulcerated, ulcerating, ulceration, ulcerative L98.4 - intestine, intestinal K63.3 - - perforating K63.1 - - - fetus or newborn P78.0	Germany	October 1999		January 2001
Modify subterm	Ulcer, ulcerated, ulcerating, ulceration, ulcerative L98.4 - stomach (eroded) (peptic) (round) K25.9 - - chronic K25.7 - - - with - - - - hemorrhage K25.4 - - - - and perforation K25.6 - - - - and perforation K25.5	WHO	October 1996		January 1999

Add cross reference	Ventriculitis (cerebral) (<i>see also</i> Encephalitis) G04.9	USA	October 1997		January 1999
Revise code	Virilism (adrenal) E25.9	Germany	October 1999		January 2001
Add subterm and code	- <u>congenital</u> E25.0				
Revise code	Virilization (female) E25.9	Germany	October 1999		January 2001
Add subterm and code	- <u>congenital</u> E25.0				
Add morphology	Von Recklinghausen's - disease (neurofibromatosis) (M9540/1) Q85.0	Germany	October 1997		January 1999

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

code	- - bones E21.0				
Revise code	Zollinger-Ellison syndrome <u>E16.4</u>	Australia	October 1997		January 1999

External causes of injury

Instruction	External causes of injury index	Source	Date approved	Major/Minor update	Implementation date
Delete parentheses	Contact (accidental) - with - - metal, {hot} (liquid) (molten) NEC X18.-	United Kingdom (URC: 0098)	October 2001	Minor	January 2003
Modify cross reference	Exposure (to) - fire (accidental) (with exposure to smoke or fumes or causing burns, or secondary explosion) X09.- - - in, of, on, starting in - - - transport vehicle NEC (<i>see also</i> Accident, transport, <u>occupant, by type of vehicle</u>) V87.8	Germany	October 1997		January 1999

Table of Drugs and Chemicals

Instruction	Alphabetic index entries	Source	Date approved	Major/Minor update	Implementation date
Add term	Agonist	Australia	October 1998		January 2000

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add term	- <u>predominantly</u>								
Add term & codes	- - <u>α-adrenoreceptor</u>	<u>T44.4</u>	<u>X43.-</u>	<u>X63.-</u>	<u>Y13.-</u>	<u>Y51.4</u>			
Add term & codes	- - <u>β-adrenoreceptor</u>	<u>T44.5</u>	<u>X43.-</u>	<u>X63.-</u>	<u>Y13.-</u>	<u>Y51.5</u>			
Add term and codes	<u>Aminoglycoside</u>	<u>T36.5</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y40.5</u>	Australia	October 1998	January 2000
Add term & codes	Analgesic NEC - <u>nonopioid</u>	<u>T39.9</u>	<u>X40.-</u>	<u>X60.-</u>	<u>Y10.-</u>	<u>Y45.9</u>	Australia	October 1998	January 2000
Add term & codes	Anesthetic NEC (see also Anesthesia) - <u>inhaled</u>	<u>T41.0</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y48.0</u>	Australia	October 1998	January 2000
Add term & codes	Antagonist - <u>α-adrenoreceptor NEC</u>	<u>T44.6</u>	<u>X43.-</u>	<u>X63.-</u>	<u>Y13.-</u>	<u>Y51.6</u>	Australia	October 1998	January 2000
Add term & codes	- <u>β-adrenoreceptor NEC</u>	<u>T44.7</u>	<u>X43.-</u>	<u>X63.-</u>	<u>Y13.-</u>	<u>Y51.7</u>			
Revise code	Antagonist - H ₂ receptor	<u>T47.0</u>	X44.-	X64.-	Y14.-	Y53.1	Australia	October 2000	Minor January 2002
Add term & codes	<u>Antiandrogen NEC</u>	<u>T38.6</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y42.6</u>	Australia	October 1998	January 2000
Add term & codes	Antidepressant NEC - <u>monoamine-oxidase-inhibitor</u>	<u>T43.1</u>	<u>X41.-</u>	<u>X61.-</u>	<u>Y11.-</u>	<u>Y49.1</u>	Australia	October 1998	January 2000
Add term & codes	<u>Antidysrhythmic NEC</u>	<u>T46.2</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y52.2</u>	Australia	October 1998	January 2000
Add term & codes	Antiepileptic - <u>mixed NEC</u>	<u>T42.7</u>	<u>X41.-</u>	<u>X61.-</u>	<u>Y11.-</u>	<u>Y46.6</u>	Australia	October 1998	January 2000
Add term & codes	- <u>specified NEC</u>	<u>T42.5</u>	<u>X41.-</u>	<u>X61.-</u>	<u>Y11.-</u>	<u>Y46.6</u>			
Add term & codes	- <u>specified NEC</u>	<u>T42.6</u>	<u>X41.-</u>	<u>X61.-</u>	<u>Y11.-</u>	<u>Y46.6</u>			
Add term & codes	<u>Antiandrogen NEC</u>	<u>T38.6</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y42.6</u>	Australia	October 1998	January 2000

Add term & codes	<u>Antigonadotrophin NEC</u>	<u>T38.6</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y42.6</u>	Australia	October 1998	January 2000
Add term & codes	<u>Antihyperlipidemic drug</u>	<u>T46.6</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y52.6</u>	Australia	October 1998	January 2000

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Delete term & revise codes	Anti-inflammatory drug, local, NEC - local	<u>T39.3</u>	X40.-	X60.-	Y10.-	Y45.9	Australia	October 1998	January 2000
Add term & codes	- nonsteroidal NEC	<u>T49.0</u>	X44.-	X64.-	Y14.-	Y56.0			
Add term & codes	- specified NEC	<u>T39.3</u>	X40.-	X60.-	Y10.-	Y45.3			
Add term & codes		<u>T39.3</u>	X40.-	X60.-	Y10.-	Y45.8			
Revise term & codes	Antiparasitic drug, local (systemic)	<u>T37.9</u>				Y41.9	Australia	October 1998	January 2000
Add term & codes		<u>T49.0</u>	X44.-	X64.-	Y14.-	Y56.0			
Add term & codes	- local	<u>T37.8</u>	X44.-	X64.-	Y14.-	Y41.8			
Add term & codes	Antipsychotic drug NEC - phenothiazine	<u>T43.3</u>	X41.-	X61.-	Y11.-	Y49.3	Australia	October 1998	January 2000
Revise codes	Benzhydramine (chloride)	<u>T45.0</u>	X44.-	X64.-	Y14.-	Y43.0	China	October 1997	January 1999
Add term & codes	Benzothiadiazide	<u>T50.2</u>	X44.-	X64.-	Y14.-	Y54.3	Australia	October 1998	January 2000
Revise codes	Benzphetamine	<u>T50.5</u>	X44.-	X64.-	Y14.-	Y57.0	China	October 1997	January 1999
Revise codes	Binitrobenzol	<u>T65.3</u>	X46.-	X66.-	Y16.-		China	October 1997	January 1999
Add term & codes	Blockers, calcium-channel	<u>T46.1</u>	X44.-	X64.-	Y14.-	Y52.1	Australia	October 1998	January 2000
Revise codes	Calcium - hypochlorite	<u>T37.8</u>	X44.-	X64.-	Y14.0	Y41.8	Germany	October 1997	January 1999
Revise and delete codes	Carbaril	<u>T60.0</u>	X48.-	X68.-	Y18.-	Y56.0	China	October 1997	January 1999
Revise codes	Chloramine (-T)	<u>T49.8</u>	X44.-	X64.-	Y14.-	Y56.8	China	October 1997	January 1999
Revise codes	Chlorobutanol	<u>T42.6</u>	X41.-	X61.-	Y11.-	Y47.2	China	October 1997	January 1999
Revise code	Cleaner, cleansing agent NEC - of paint or varnish	<u>T52.9</u>	X46.-	X66.-	Y16.-		Germany	October 1997	January 1999
Add term & codes	Congener, anabolic	<u>T38.7</u>	X44.-	X64.-	Y14.-	Y42.7	Australia	October 1998	January 2000

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Delete term & codes	Depressant, appetite	T50.5	X44.-	X64.-	Y14.-	Y57.0	Australia	October 1998		January 2000
Add term & codes										
Add term & codes	- <u>appetite</u>	<u>T50.5</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y57.0</u>				
	- <u>muscle tone, central, NEC</u>	<u>T42.8</u>	<u>X41.-</u>	<u>X61.-</u>	<u>Y11.-</u>	<u>Y46.8</u>				
Add term & codes	Diuretic NEC						Australia	October 1998		January 2000
	- <u>loop [high-ceiling]</u>	<u>T50.1</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y54.4</u>				
Add code	Ethyl						Germany	October 1997		January 1999
	- carbamate	<u>T45.1</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y43.3</u>				
Revise and delete codes	- carbinol	<u>T51.3</u>	<u>X45.-</u>	<u>X65.-</u>	<u>Y15.-</u>	<u>Y43.3</u>				
Revise code	Fenylbutazone	<u>T39.2</u>	<u>X40.-</u>	<u>X60.-</u>	<u>Y10.-</u>	<u>Y45.3</u>	China	October 1997		January 1999
Add term & codes	Gas						Australia	October 1998		January 2000
	- <u>therapeutic</u>	<u>T41.5</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y48.5</u>				
Add term & codes	Glucocorticoid	<u>T38.0</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y42.0</u>	Australia	October 1998		January 2000
Add code	Glutaraldehyde (nonmedicinal)						Germany	October 1997		January 1999
	- medicinal	<u>T49.0</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y56.0</u>				
Add term & codes	Glycoside, cardiac-stimulant	<u>T46.0</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y52.0</u>	Australia	October 1998		January 2000
Add term & codes	Hematological agent	<u>T45.9</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y44.9</u>	Australia	October 1998		January 2000
Add term & codes	- <u>specified NEC</u>	<u>T45.8</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y44.9</u>				
Revise codes	Hydroxyamfetamine	<u>T49.5</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y56.5</u>	China	October 1997		January 1999
Add term & codes	Iminostilbene	<u>T42.1</u>	<u>X41.-</u>	<u>X61.-</u>	<u>Y11.-</u>	<u>Y46.4</u>	Australia	October 1998		January 2000
Add term & codes	Immunological agent	<u>T50.9</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y59.9</u>	Australia	October 1998		January 2000
Add term & codes	- <u>specified NEC</u>	<u>T50.9</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y59.8</u>				
Revise code	Influenza vaccine	<u>T50.9</u>	<u>X44.-</u>	<u>X64.-</u>	<u>Y14.-</u>	<u>Y59.0</u>	United Kingdom	October 2000	Major	January 2003

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

						(URC:00 03)			
Add term & codes	Inhibitor - <u>angio-tensin-converting enzyme</u>	<u>T46.4</u>	X44.-	X64.-	<u>Y14.-</u>	<u>Y52.4</u>	Australia	October 1998	January 2000
Add term & codes	- <u>carbonic-anhydrase</u>	<u>T50.2</u>	X44.-	X64.-	<u>Y14.-</u>	<u>Y54.2</u>			
Add term & codes	Laxative NEC - <u>osmotic</u>	<u>T47.3</u>	X44.-	X64.-	<u>Y14.-</u>	<u>Y53.3</u>	Australia	October 1998	January 2000
Add term & codes	- <u>saline</u>	<u>T47.3</u>	X44.-	X64.-	<u>Y14.-</u>	<u>Y53.3</u>			
Add term & codes	- <u>stimulant</u>	<u>T47.2</u>	X44.-	X64.-	<u>Y14.-</u>	<u>Y53.2</u>			
Revise code	Lead (dust)(fumes)(vapour) NEC - alkyl (fuel additive)	T56.0	X46.-	X66.-	Y16.-		Germany	October 1997	January 1999
Revise codes	Levomepromazine	T43.3	X41.-	X61.-	<u>Y11.-</u>	Y49.3	China	October 1997	January 1999
Revise code	Meningococcal vaccine	T50.9	X44.-	X64.-	Y14.-	<u>Y58.9</u>	United Kingdom (URC:00 09)	October 2000	Major January 2003
Revise code	8-Methoxypsoralen (8-MOP)	T50.9	X44.-	X64.-	<u>Y14.-</u>	Y57.8	Germany	October 1997	January 1999
Add term & codes	Narcotic NEC - <u>synthetic NEC</u>	<u>T40.6</u>	X42.-	X62.-	<u>Y12.-</u>	<u>Y45.0</u>	Australia	October 1998	January 2000
Add term & codes		<u>T40.4</u>	X42.-	X62.-	<u>Y12.-</u>	<u>Y45.0</u>			
Add term & codes	Neuroleptic drug NEC - <u>butyrophenone</u>	<u>T43.4</u>	X41.-	X61.-	<u>Y11.-</u>	<u>Y49.4</u>	Australia	October 1998	January 2000
Add term & codes	- <u>phenothiazine</u>	<u>T43.3</u>	X41.-	X61.-	<u>Y11.-</u>	<u>Y49.3</u>			
Add term & codes	- <u>thioxanthene</u>	<u>T43.4</u>	X41.-	X61.-	<u>Y11.-</u>	<u>Y49.4</u>			
Add term & codes	NSAID NEC	<u>T39.3</u>	X40.-	X60.-	<u>Y10.-</u>	<u>Y45.3</u>	Australia	October 1998	January 2000
Add term & codes	Ophthalmological drug NEC	<u>T49.5</u>	X44.-	X64.-	<u>Y14.-</u>	<u>Y56.5</u>	Australia	October 1998	January 2000
Add term & codes	Opioid NEC	<u>T40.2</u>	X42.-	X62.-	<u>Y12.-</u>	<u>Y45.0</u>	Australia	October 1998	January 2000
Add term & codes	Otorhinolaryngological drug NEC	<u>T49.6</u>	X44.-	X64.-	<u>Y14.-</u>	<u>Y56.6</u>	Australia	October 1998	January 2000

Ratified by HoC/WHO at HoC Meeting in Washington, DC, October 2001

Add term & codes	<u>Oxazolidinedione</u>	<u>T42.2</u>	X41.-	X61.-	Y11.-	<u>Y46.1</u>	Australia	October 1998		January 2000
Delete code	Parathion	T60.0	X48.-	X68.-	Y18.-	Y56.0	Germany	October 1997		January 1999
Revise code	Phenylbutazone	T39.2	X40.-	X60.-	Y10.0	<u>Y45.3</u>	China	October 1997		January 1999

Add non-essential modifier & revise codes	<u>Prednisolone (oral)</u>	<u>T38.0</u>	X44.-	X64.-	Y14.-	<u>Y42.0</u>	Australia (URC:0075)	October 2001	Major	January 2003
Add	- <u>ENT agent</u>	<u>T49.6</u>	X44.-	X64.-	Y14.-	<u>Y56.6</u>				
Add	- <u>ophthalmic preparation</u>	<u>T49.5</u>	X44.-	X64.-	Y14.-	<u>Y56.5</u>				
Add	- <u>topical NEC</u>	<u>T49.0</u>	X44.-	X64.-	Y14.-	<u>Y56.0</u>				
Revise code	Prussian blue - therapeutic	T50.6	X44.-	X64.-	Y14.-	Y57.2	Germany	October 1997		January 1999
Revise codes	Prussic acid	<u>T57.3</u>	X48.-	X68.-	Y18.-		China	October 1997		January 1999
Revise code	Trichloroethylene	T41.0	X44.-	X64.-	Y14.-	Y48.0	China Germany	October 1997		January 1999